Index of Authors

AGRAWAL, H. C. *see* LAJTHA, A. 323–329
AL-BALDAWI, N. F. *see* BROWN, E. G. 589–594
ALFORD, W. S. *see* LAZIER, C. B. 659–667
ALLAN, D. & MICHELL, R. H. A comparison of the effects of phytohaemagglutinin and of calcium ionophore A23187 on the metabolism of glycerolipids in small lymphocytes 389–397
AMILS, R., CONDE, R. D. & SCORNIK, O. A. Effect of a nutritional shift on the degradation of abnormal proteins in the mouse liver. Decreased degradation during rapid liver growth 363–369
ARBUS, A. T. *see* SULAKHE, P. V. 67–74
ARCHER, D. B. Chitin biosynthesis in protoplasts and subcellular fractions of *Aspergillus fumigatus*, 653–658
ASKEW, E. W. *see* DOHM, G. L. 705–708
ATKINSON, T. *see* SHERWOOD, R. F. 461–464

BADAWY, A. A.-B. The effects of acetate, metal cations, phenobarbitone, porphyrogens and substrates of glycine acyltransferase on the utilization of haem by rat liver apo-(tryptophan pyrrolase) 431–438
BAIRD, J. K. *see* SHERWOOD, R. F. 461–464
BALDUINI, C. *see* BROVELLI, A. 469–472
BALLARD, F. J. *see* HOPGOOD, M. F. 399–407
BAQIR, Y. A. & BOOTH, R. A new method for assaying rat liver microsomal 3-hydroxy-3-methylglutaryl-coenzyme A reductase activity and its application in a study of the effect of dietary cholesterol on this enzyme 501–508
BARFORD, P. A., OLAVESEN, A. H., CURTIS, C. G. & POWELL, G. M. Metabolic fates of diethylstilboestrol sulphates in the rat 423–430
BARFORD, P. A., STAFF, F. J. & BLAIR, J. A. Retained folates in the rat 601–605
BARON, P. G. *see* ILES, R. A. 185–191
BARTHOLEYNS, J. & BAUDHUIN, P. Purification of rat liver particulate neutral ribonuclease and comparison of properties with pancreas and serum ribonucleases 675–683
BAUDHUIN, P. *see* BARTHOLEYNS, J. 675–683
BEECHER, G. R. *see* DOHM, G. L. 705–708
BELL, J. I. *see* EASTHAM, E. J. 289–294
BELL, S. C. & TURNER, J. M. Bacterial catabolism of threonine. Threonine degradation initiated by L-threonine hydro-lyase (deaminating) in a species of *Corynebacterium* 579–587
BERGER, R. *see* LAND, J. M. 339–348
BHAT, K. S., SARDANA, M. K. & PADMANABAN, G. Role of haem in the synthesis and assembly of cytochrome *P*-450 295–303
BISSELL, M. J. *see* WARSHAWSKY, D. 481–486
BLAIR, J. A. *see* BARFORD, P. A. 601–605
BLANCKAERT, N., FEVERY, J., HEIRWEGH, K. P. M. & COMPERNOLLE, F. Characterization of the major diazo-positive pigments in bile of homozygous Gunn rats 237–249
BLANCKAERT, N., HEIRWEGH, K. P. M. & ZAMAN, Z. Comparison of the biliary excretion of the four isomers of bilirubin-IX in Wistar and homozygous Gunn rats 229–236
BLOOMFIELD, F. J., DUNSTAN, D. R., FOSTER, C. L., SERAFINI-CESSI, F. & MARSHALL, R. D. Some factors affecting the production, by cultured baby-hamster kidney cells, of BHK glycoprotein I which cross-reacts immunologically with Tamm–Horsfall glycoprotein 41–51
BOOTH, R. *see* BAQIR, Y. A. 501–508
BOOTH, R. F. G. *see* LAND, J. M. 339–348
BRAIDMAN, I. P. & GREGORIADIS, G. Rapid partial purification of placental glucocerebroside β-glucosidase and its entrapment in liposomes 439–445
BREMER, J. *see* OSMUNDSEN, H. 621–633
BREWSTER, D., JONES, R. S. & PARKE, D. V. The metabolism of cyclohexanecarboxylate in the rat 595–600
BROSNAN, J. T. & HALL, B. The transport and metabolism of glutamine by kidney-cortex mitochondria from normal and acidotic rats 331–337
BROVELLI, A., SUHAIL, M., PALLAVICINI, G., SINIGAGLIA, F. & BALDUINI, C. Self-digestion of human erythrocyte membranes. Role of adenosine triphosphate and glutathione 469–472
BROWN, E. G. & AL-BALDAWI, N. F. Biosynthesis of the pyrimidinyl amino acid lathyrine by *Lathyrus tingitanus* L. 589–594
BROWN, W. E. *see* DOHM, G. L. 705–708
BYNG, G. S. & TURNER, J. M. Incorporation of [^{14}C]-shikimate into phenazines and their further metabolism by *Pseudomonas phenazinium* 139–145

CAIN, K. *see* GRIFFITHS, D. E. 699–704
CALVIN, M. *see* WARSHAWSKY, D. 481–486
CLARK, J. B. *see* DENNIS, S. C. 727–736; LAND, J. M. 339–348
CLARK, M. G. *see* HOPGOOD, M. F. 399–407
CLAUSEN, T. & MARTIN, B. R. The effect of insulin on the washout of [^{45}Ca]calcium from adipocytes and soleus muscle of the rat 251–255
COETZEE, G. A. & GEVERS, W. 5-Bromo-2′-deoxyuridine-stimulated calcium ion- or magnesium ion-dependent ecto-(adenosine triphosphatase) activity of cultured hamster cardiac cells 645–652
COETZEE, G. A., VAN DER WESTHUYZEN, D. R. & GEVERS, W. Effects of 5-bromo-2′-deoxyuridine on beating heart cell cultures from neonatal hamsters 635–643
COHEN, R. D. *see* ILES, R. A. 185–191
COLLINS, R. M., JR. *see* OZAND, P. T. 557–564
COLSTON, K. W., EVANS, I. M. A., SPELSBERG, T. C. & MACINTYRE, I. Feedback regulation of vitamin D metabolism by 1,25-dihydroxycholecalciferol 83–89
COMPERNOLLE, F. *see* BLANCKAERT, N. 237–249
CONDE, R. D. *see* AMILS, R. 363–369
COOK, D. B. *see* LATNER, A. L. 477–480
CORNBLATH, M. *see* OZAND, P. T. 557–564; REED, W. D. 27–32
COUSINS, R. J. *see* SQUIBB, K. S. 223–228
COX, G. B. *see* GIBSON, F. 193–198
CRABTREE, B. *see* READ, G. 349–355
CURTIS, C. G. *see* BARFORD, P. A. 423–430

DAWSON, R. M. C. *see* IRVINE, R. F. 277–280
DENNIS, S. C., LAI, J. C. K. & CLARK, J. B. Comparative studies on glutamate metabolism in synaptic and non-synaptic rat brain mitochondria 727–736
DIAZ GOMEZ, M. I., SWANN, P. F. & MAGEE, P. N. The absorption and metabolism in rats of small oral doses of dimethylnitrosamine. Implication for the possible hazard of dimethylnitrosamine in human food 497–500
DOHM, G. L., HECKER, A. L., BROWN, W. E., KLAIN, G. J., PUENTE, F. R., ASKEW, E. W. & BEECHER, G. R. Adaptation of protein metabolism to endurance training. Increased amino acid oxidation in response to training 705–708
DOONAN, S. *see* MARRA, E. 685–691
DOUGLAS, A. P. *see* EASTHAM, E. J. 289–294
DOWNBENKO, D. J. *see* ROY, A. K. 91–97
DOWNIE, J. A. *see* GIBSON, F. 193–198
DUNSTAN, D. R. *see* BLOOMFIELD, F. J. 41–51

EASTHAM, E. J., BELL, J. I. & DOUGLAS, A. P. Iron-transport characteristics of vesicles of brush-border and basolateral plasma membrane from the rat enterocyte 289–294
EDWARDS, P. A. W. Reconstitution of glucose-transporting vesicles from erythrocyte membranes disaggregated in detergent 125–129
EL DENSHARY, E.-E. S. M. *see* ISMAIL, N. A. 409–413
ELLIOTT, K. R. F. & POGSON, C. I. The effects of starvation and experimental diabetes on phosphoenolpyruvate carboxykinase in the guinea pig 357–361
ELLIOTT, K. R. F., POGSON, C. I. & SMITH, S. A. Permeability of the liver cell membrane to quinolinate 283–286
ELLIS, D. E. *see* MCEVOY, F. A. 273–275
ELLWOOD, D. C. *see* SHERWOOD, R. F. 461–464
EVANS, I. M. A. *see* COLSTON, K. W. 83–89
EVANS, W. H. *see* WISHER, M. H. 415–422

FELDMAN, S. L. *see* SQUIBB, K. S. 223–228
FEVERY, J., VAN DE VIJVER, M., MICHIELS, R. & HEIRWEGH, K. P. M. Comparison in different species of biliary bilirubin-IXα conjugates with the activities of hepatic and renal bilirubin-IXα–uridine diphosphate glycosyltransferases 737–746
FEVERY, J. *see also* BLANCKAERT, N. 237–249
FOSTER, C. L. *see* BLOOMFIELD, F. J. 41–51
FRANSON, R. C. *see* LAYCHOCK, S. G. 753–756
FRASER, I. H. & MOOKERJEA, S. Purification of membrane-bound galactosyltransferase from rat liver microsomal fractions 541–547
FUJIMOTO, K. *see* LAJTHA, A. 323–329
FUJITA, S., OGATA, F., NAKAMURA, J., OMATA, S. & SUGANO, H. Isolation and characterization of membrane proteins responsible for attachment of polyribosomes to rough microsomal fraction of rat liver 53–66
FUJIWARA, T. *see* HAYAKAWA, S. 709–714

GANAPATHY, P. S. *see* SORENSON, J. C. 113–117
GARLAND, P. B. *see* JONES, R. W. 199–211
GEVERS, W. *see* COETZEE, G. A. 635–643, 645–652
GIBSON, F., COX, G. B., DOWNIE, J. A. & RADIK, J. A mutation affecting a second component of the F_0 portion of the magnesium ion-stimulated adenosine triphosphatase of *Escherichia coli* K12. The *uncC424* allele 193–198
GIRARD, J. *see* OZAND, P. T. 557–564
GORIDIS, C., ZWILLER, J. & REUTTER, W. Guanylate cyclase activity and cyclic nucleotide concentrations during liver regeneration after experimental injury 33–39
GRANT, D. A. W. & HJERTÉN, S. Some observations on the choice of detergent for solubilization of the human erythrocyte membrane 465–468
GREENBERG, N., SCHUMM, D. E. & WEBB, T. E. Uridine kinase activities and pyrimidine nucleoside phosphorylation in fluoropyrimidine-sensitive and -resistant cell lines of the Novikoff hepatoma 379–387
GREGORIADIS, G. *see* BRAIDMAN, I. P. 439–445
GRIFFITHS, D. E., CAIN, K. & HYAMS, R. L. Studies of energy-linked reactions. Inhibition of oxidative phosphorylation by DL-8-methyldihydrolipoate 699–704
GUTOWSKI, S. J. & ROSENBERG, H. Proton translocation coupled to electron flow from endogenous substrates to fumarate in anaerobically grown *Escherichia coli* K12 265–267

HALL, B. *see* BROSNAN, J. T. 331–337
HANSFORD, R. G. *see* JOHNSON, R. N. 305–322
HARDIE, D. G. & STANSFIELD, D. A. Endogenous phosphorylation of microsomal proteins in bovine corpus luteum. Tenfold activation by adenosine 3′:5′-cyclic monophosphate 213–221
HASHIMOTO, S. & HAYAKAWA, S. Microbiological degradation of bile acids. Metabolites formed from 3-(3aα-hexahydro-7aβ-methyl-1,5-dioxoindan-4α-yl) propionic acid by *Streptomyces rubescens* 715–726
HASHIMOTO, S. *see also* HAYAKAWA, S. 709–714
HASSINEN, I. E. *see* SAVOLAINEN, M. J. 169–177
HAWKINS, R. L. *see* OZAND, P. T. 557–564
HAYAKAWA, S., TAKATA, T., FUJIWARA, T. & HASHIMOTO, S. Microbial degradation of bile acids. The preparation of hexahydroindane derivatives as substrates for studying cholic acid degradation 709–714
HAYAKAWA, S. *see also* HASHIMOTO, S. 715–726
HECKER, A. L. *see* DOHM, G. L. 705–708
HEIRWEGH, K. P. M. *see* BLANCKAERT, N. 229–236, 237–249; FEVERY, J. 737–746
HEMINGTON, N. *see* IRVINE, R. F. 277–280
HILTUNEN, J. K. *see* SAVOLAINEN, M. J. 169–177
HJERTÉN, S. *see* GRANT, D. A. W. 465–468
HLAVICA, P. & KEHL, M. Studies on the mechanism of hepatic microsomal *N*-oxide formation. The role of cytochrome *P*-450 and mixed-function amine oxidase in the *N*-oxidation of *NN*-dimethylaniline 487–496
HÖÖK, M. *see* OLDBERG, Å. 75–81
HOPGOOD, M. F., CLARK, M. G. & BALLARD, F. J. Inhibition of protein degradation in isolated rat hepatocytes 399–407
HYAMS, R. L. *see* GRIFFITHS, D. E. 699–704

ILES, R. A., COHEN, R. D., RIST, A. H. & BARON, P. G. The mechanism of inhibition by acidosis of gluconeogenesis from lactate in rat liver 185–191

INGLEDEW, W. J. & OHNISHI, T. The probable site of action of thenoyltrifluoroacetone on the respiratory chain 617–620
IRVINE, R. F., HEMINGTON, N. & DAWSON, R. M. C. Phosphatidylinositol-degrading enzymes in liver lysosomes 277–280
ISMAIL, N. A., EL DENSHARY, E.-E. S. M. & MONTAGUE, W. Adenosine and the regulation of insulin secretion by isolated rat islets of Langerhans 409–413

JAN, S.-H. *see* SULAKHE, P. V. 67–74
JOHNSON, R. N. & HANSFORD, R. G. The nature of controlled respiration and its relationship to protonmotive force and proton conductance in blowfly flight-muscle mitochondria 305–322
JONES, R. S. *see* BREWSTER, D. 595–600
JONES, R. W. & GARLAND, P. B. Sites and specificity of the reaction of bipyridylium compounds with anaerobic respiratory enzymes of *Escherichia coli*. Effects of permeability barriers imposed by the cytoplasmic membrane 199–211

KEHL, M. *see* HLAVICA, P. 487–496
KERBEY, A. L., RADCLIFFE, P. M. & RANDLE, P. J. Diabetes and the control of pyruvate dehydrogenase in rat heart mitochondria by concentration ratios of adenosine triphosphate/adenosine diphosphate, of reduced/oxidized nicotinamide–adenine dinucleotide and of acetyl-coenzyme A/coenzyme A 509–519
KERNS, E. *see* WARSHAWSKY, D. 481–486
KHALKHALI, Z., SERAFINI-CESSI, F. & MARSHALL, R. D. The UDP-*N*-acetylglucosamine–asparagine-sequon *N*-acetyl-β-D-glucosaminyltransferase activity in preparations of rough endoplasmic reticulum from regenerating rat liver 257–261
KLAIN, G. J. *see* DOHM, G. L. 705–708
KOSER, M. *see* MALAISSE, W. J. 447–454

LAI, J. C. K. *see* DENNIS, S. C. 727–736
LAJTHA, A., TOTH, J., FUJIMOTO, K. & AGRAWAL, H. C. Turnover of myelin proteins in mouse brain *in vivo* 323–329
LAND, J. M., BOOTH, R. F. G., BERGER, R. & CLARK, J. B. Development of mitochondrial energy metabolism in rat brain 339–348
LASH, J. W. *see* VASAN, N. S. 179–183
LATNER, A. L., COOK, D. B. & SOLANKI, K. U. Inhibition of binding of corticotropin-(1–24)-tetracosapeptide (Synacthen) to membrane receptors of adrenal cortex by cortisol 477–480
LAYCHOCK, S. G., FRANSON, R. C., WEGLICKI, W. B. & RUBIN, R. P. Identification and partial characterization of phospholipases in isolated adrenocortical cells. The effects of Synacthen [corticotropin-(1–24)-tetracosapeptide] and calcium ions 753–756
LAZIER, C. B. & ALFORD, W. S. Interaction of the anti-oestrogen, nafoxidine hydrochloride, with the soluble nuclear oestradiol-binding protein in chick liver 659–667
LEUNG, N. L.-K. *see* SULAKHE, P. V. 67–74
LIGHT, N. D. & TANNER, M. J. A. Changes in surface-membrane components during the differentiation of rabbit erythroid cells 565–578
LINDAHL, R. Aldehyde dehydrogenase in 2-acetamidofluorene-induced rat hepatomas. Ontogeny and evidence that the new isoenzymes are not due to normal gene de-repression 119–123
LIU, D. K. & MATRISIAN, P. E. Regional differences in ribonuclease content of rat and mouse kidney 371–377
LLOYD, J. B. Cellular transport of lysosomal enzymes. An alternative hypothesis 281–282
LLOYD, J. B. *see also* MOORE, A. T. 607–616

MACINTYRE, I. *see* COLSTON, K. W. 83–89
MAGEE, P. N. *see* DIAZ GOMEZ, M. I. 497–500
MALAISSE, W. J., SENER, A., KOSER, M., RAVAZZOLA, M. MALAISSE-LAGAE, F. The stimulus–secretion coupling of glucose-induced insulin release. Insulin release due to glycogenolysis in glucose-deprived islets 447–454
MALAISSE-LAGAE, F. *see* MALAISSE, W. J. 447–454
MANDELL, B. & STAHL, P. Effects of di-isopropyl phosphorofluoridate on rat liver microsomal and lysosomal β-glucuronidase 549–556
MARRA, E., DOONAN, S., SACCONE, C. & QUAGLIARIELLO, E. Selective permeability of rat liver mitochondria to purified aspartate aminotransferases *in vitro* 685–691
MARSHALL, R. D. *see* BLOOMFIELD, F. J. 41–51; KHALKHALI, Z. 257–261
MARTIN, B. R. *see* CLAUSEN, T. 251–255
MATRISIAN, P. E. *see* LIU, D. K. 371–377
MCEVOY, F. A., ELLIS, D. E. & SHALL, S. Effects of dolichol monophosphate on galactose incorporation into glycoconjugates of cell cultures 273–275
MCILWAIN, H. *see* NEWMAN, M. 131–137
MEZQUITA, C. & TENG, C. S. Studies on sex-organ development. Changes in nuclear and chromatin composition and genomic activity during spermatogenesis in the maturing rooster testis 99–111
MICHELL, R. H. *see* ALLAN, D. 389–397
MICHIELS, R. *see* FEVERY, J. 737–746
MONTAGUE, W. *see* ISMAIL, N. A. 409–413
MOOKERJEA, S. *see* FRASER, I. H. 541–547
MOORE, A. T., WILLIAMS, K. E. & LLOYD, J. B. The effect of chemical treatments of albumin and orosomucoid on rate of clearance from the rat bloodstream and rate of pinocytic capture by rat yolk sac cultured *in vitro* 607–616
MUIR, H. *see* WIEBKIN, O. W. 269–272

NAKAMURA, J. *see* FUJITA, S. 53–66
NARAYANAN, N. *see* SULAKHE, P. V. 67–74
NEWMAN, M. & MCILWAIN, H. Adenosine as a constituent of the brain and of isolated cerebral tissues, and its relationship to the generation of adenosine 3′:5′-cyclic monophosphate 131–137
NICHOLAS, D. J. D. *see* SAWHNEY, S. K. 161–167

O'BRIEN, P. J. *see* RAHIMTULA, A. D. 473–475
ÖBRINK, B. *see* OLDBERG, Å. 75–81
OGATA, F. *see* FUJITA, S. 53–66
OHNISHI, T. *see* INGLEDEW, W. J. 617–620
OIKARINEN, A. Effect of cortisol acetate on collagen biosynthesis and on the activities of prolyl hydroxylase, lysyl hydroxylase, collagen galactosyltransferase and collagen glucosyltransferase in chick-embryo tendon cells 533–539

OLAVESEN, A. H. *see* BARFORD, P. A. 423–430
OLDBERG, Å., HÖÖK, M., ÖBRINK, B., PERTOFT, H. & RUBIN, K. Structure and metabolism of rat liver heparan sulphate 75–81
OMATA, S. *see* FUJITA, S. 53–66
OSMUNDSEN, H. & BREMER, J. A spectrophotometric procedure for rapid and sensitive measurements of β-oxidation. Demonstration of factors that can be rate-limiting for β-oxidation 621–633
OZAND, P. T., REED, W. D., GIRARD, J., HAWKINS, R. L., COLLINS, R. M., JR., TILDON, J. T. & CORNBLATH, M. Hypoketonaemic effect of L-alanine. Specific decrease in blood concentrations of 3-hydroxybutyrate in the rat 557–564
OZAND, P. T. *see also* REED, W. D. 27–32

PADMANABAN, G. *see* BHAT, K. S. 295–303
PALLAVICINI, G. *see* BROVELLI, A. 469–472
PARKE, D. V. *see* BREWSTER, D. 595–600
PERTOFT, H. *see* OLDBERG, Å. 75–81
POGSON, C. I. *see* ELLIOTT, K. R. F. 283–286, 357–361
PORTEOUS, J. W. *see* PRITCHARD, P. J. 1–14
POWELL, G. M. *see* BARFORD, P. A. 423–430
PRITCHARD, P. J. & PORTEOUS, J. W. Steady-state metabolism and transport of D-glucose by rat small intestine *in vitro* 1–14
PUENTE, F. R. *see* DOHM, G. L. 705–708

QUAGLIARIELLO, E. *see* MARRA, E. 685–691

RADCLIFFE, P. M. *see* KERBEY, A. L. 509–519
RADIK, J. *see* GIBSON, F. 193–198
RAHIMTULA, A. D., ZACHARIAH, P. K. & O'BRIEN, P. J. The effects of antioxidants on the metabolism and mutagenicity of benzo[*a*]pyrene *in vitro* 473–475
RANDLE, P. J. *see* KERBEY, A. L. 509–519
RAVAZZOLA, M. *see* MALAISSE, W. J. 447–454
READ, G., CRABTREE, B. & SMITH, G. H. The activities of 2-oxogluturate dehydrogenase and pyruvate dehydrogenase in hearts and mammary glands from ruminants and non-ruminants 349–355
REED, W. D., OZAND, P. T., TILDON, J. T. & CORNBLATH, M. Effects of starvation and development on mitochondrial acetoacetyl-coenzyme A thiolase of rat liver 27–32
REED, W. D. *see also* OZAND, P. T. 557–564
REUTTER, W. *see* GORIDIS, C. 33–39
RIST, A. H. *see* ILES, R. A. 185–191
ROBINSON, A. M. & WILLIAMSON, D. H. Comparison of glucose metabolism in the lactating mammary gland of the rat *in vivo* and *in vitro*. Effects of starvation, prolactin or insulin deficiency 153–159
ROBINSON, A. M. & WILLIAMSON, D. H. Effects of acetoacetate administration on glucose metabolism in mammary gland of fed lactating rats 749–752
ROSENBERG, H. *see* GUTOWSKI, S. J. 265–267
ROWE, C. E. Net activity of phospholipase A2 in brain and the lack of stimulation of the phospholipase A2-acylation system 287–288
ROY, A. K., DOWBENKO, D. J. & SCHIOP, M. J. Studies on the mode of oestrogenic inhibition of hepatic synthesis of α_{2u}-globulin and its corresponding messenger ribonucleic acid in rat liver 91–97
RUBIN, K. *see* OLDBERG, Å. 75–81
RUBIN, R. P. *see* LAYCHOCK, S. G. 753–756
RUTTER, D. A. *see* SHERWOOD, R. F. 461–464

SACCONE, C. *see* MARRA, E. 685–691
SARDANA, M. K. *see* BHAT, K. S. 295–303
SAVOLAINEN, M. J., HILTUNEN, J. K. & HASSINEN, I. E. Effect of prolonged ethanol ingestion on hepatic lipogenesis and related enzyme activities 169–177
SAWHNEY, S. K. & NICHOLAS, D. J. D. Effects of adenine nucleotides and phosphate on adenosine triphosphate sulphurylase from *Anabaena cylindrica* 161–167
SCANDALIOS, J. G. *see* SORENSON, J. C. 113–117
SCHILLER, C. M. Pyruvate dehydrogenase activity in hamster small intestine during development 693–697
SCHIOP, M. J. *see* ROY, A. K. 91–97
SCHUMM, D. E. *see* GREENBERG, N. 379–387
SCORNIK, O. A. *see* AMILS, R. 363–369
SENER, A. *see* MALAISSE, W. J. 447–454
SERAFINI-CESSI, F. *see* BLOOMFIELD, F. J. 41–51; KHALKHALI, Z. 257–261
SHALL, S. *see* MCEVOY, F. A. 273–275
SHEN, P. Y. *see* STENESH, J. 669–674
SHERWOOD, R. F., BAIRD, J. K., ATKINSON, T., WIBLIN, C. N., RUTTER, D. A. & ELLWOOD, D. C. Enhanced plasma persistence of therapeutic enzymes by coupling to soluble dextran 461–464
SINIGAGLIA, F. *see* BROVELLI, A. 469–472
SMITH, G. H. *see* READ, G. 349–355
SMITH, S. A. *see* ELLIOTT, K. R. F. 283–286
SOLANKI, K. U. *see* LATNER, A. L. 477–480
SORENSON, J. C., GANAPATHY, P. S. & SCANDALIOS, J. G. Regulation of maize catalase by changing rates of synthesis and degradation 113–117
SPELSBERG, T. C. *see* COLSTON, K. W. 83–89
SQUIBB, K. S., COUSINS, R. J. & FELDMAN, S. L. Control of zinc-thionein synthesis in rat liver 223–228
STAFF, F. J. *see* BARFORD, P. A. 601–605
STAHL, P. *see* MANDELL, B. 549–556
STANSFIELD, D. A. *see* HARDIE, D. G. 213–221
STENESH, J. & SHEN, P. Y. Number and activity of active ribosomes in bacterial polyribosomes 669–674
ST. LOUIS, P. *see* SULAKHE, P. V. 457–459
SUGANO, H. *see* FUJITA, S. 53–66
SUHAIL, M. *see* BROVELLI, A. 469–472
SULAKHE, P. V., LEUNG, N. L.-K., ARBUS, A. T., SULAKHE, S. J., JAN, S.-H. & NARAYANAN, N. Catecholamine-sensitive adenylate cyclase of caudate nucleus and cerebral cortex. Effects of guanine nucleotides 67–74
SULAKHE, P. V. & ST. LOUIS, P. Stimulation of calcium accumulation in cardiac sarcolemma by phosphorylase kinase 457–459
SULAKHE, S. J. *see* SULAKHE, P. V. 67–74
SWANN, P. F. *see* DIAZ GOMEZ, M. I. 497–500

TAKATA, T. *see* HAYAKAWA, S. 709–714
TANNER, M. J. A. *see* LIGHT, N. D. 565–578
TENG, C. S. *see* MEZQUITA, C. 99–111
THURSTON, C. F. Control of isocitrate lyase synthesis in *Chlorella fusca* var. *vacuolata*. The basal activity of the enzyme and the kinetics of induction 147–151
TILDON, J. T. *see* OZAND, P. T. 557–564; REED, W. D. 27–32
TOTH, J. *see* LAJTHA, A. 323–329
TURNER, J. M. *see* BELL, S. C. 579–587; BYNG, G. S. 139–145

VAN DER WESTHYUZEN, D. R. *see* COETZEE, G. A. 635–643
VAN DE VIJVER, M. *see* FEVERY, J. 737–746
VASAN, N. S. & LASH, J. W. Heterogeneity of proteoglycans in developing chick limb cartilage 179–183
VOORHEIS, H. P. Changes in the kinetic behaviour of threonine transport into *Trypanosoma brucei* elicited by variation in hydrogen ion concentration 15–25

WARSHAWSKY, D., KERNS, E., BISSELL, M. J. & CALVIN, M. Characterization of a photoproduct of 7,12-dimethylbenz[*a*]anthracene and its effects on chick-embryo cells in culture 481–486
WEBB, T. E. *see* GREENBERG, N. 379–387
WEGLICKI, W. B. *see* LAYCHOCK, S. G. 753–756
WHITELAW, E. & WILLIAMSON, D. H. Effects of lactation on ketogenesis from oleate or butyrate in rat hepatocytes 521–528
WIBLIN, C. N. *see* SHERWOOD, R. F. 461–464
WIEBKIN, O. W. & MUIR, H. Synthesis of cartilage-specific proteoglycan by suspension cultures of adult chondrocytes 269–272
WILLIAMS, K. E. *see* MOORE, A. T. 607–616
WILLIAMSON, D. H. *see* ROBINSON, A. M. 153–159, 749–752; WHITELAW, E. 521–528
WISHER, M. H. & EVANS, W. H. Preparation of plasma-membrane subfractions from isolated rat hepatocytes 415–422
WONG, K. P. The biosynthesis of tyramine glucuronide by liver microsomal fractions 529–531

ZACHARIAH, P. K. *see* RAHIMTULA, A. D. 473–475
ZAMAN, Z. *see* BLANCKAERT, N. 229–236
ZWILLER, J. *see* GORIDIS, C. 33–39

Index of Subjects

2-Acetamidofluorene, ontogeny and evidence that new isoenzymes of aldehyde dehydrogenase in rat hepatomas induced by, are not due to normal gene derepression (Lindahl, R.) 119–123

Acetate, effects of, and other agents on the utilization of haem by rat liver apo-(tryptophan pyrrolase) (Badawy, A. A.-B.) 431–438

Acetoacetate, effects of the administration of, on the metabolism of glucose in the mammary gland of fed lactating rats (Robinson, A. M. & Williamson, D. H.) 749–752

Acetoacetyl-coenzyme A thiolase, *see* Acetyl-coenzyme A acetyltransferase

Acetyl-coenzyme A, effects of alloxan-diabetes on the control of the activity of rat heart mitochondrial pyruvate dehydrogenase by concentration ratios of adenosine triphosphate/adenosine diphosphate, of reduced/oxidized nicotinamide–adenine dinucleotide and of coenzyme A and (Kerbey, A. L., Radcliffe, P. M. & Randle, P. J.) 509–519

Acetyl-coenzyme A acetyltransferase, mitochondrial, changes in the activity of, in rat liver during starvation and neonatal development (Reed, W. D., Ozand, P. T., Tildon, J. T. & Cornblath, M.) 27–32

Acidosis, effect of, on the transport and metabolism of glutamine by rat kidney-cortex mitochondria (Brosnan, J. T. & Hall, B.) 331–337

Acidosis, mechanism of the inhibition by, of gluconeogenesis from lactate in rat liver (Iles, R. A., Cohen, R. D., Rist, A. H. & Baron, P. G.) 185–191

Acinar cells, mammary-gland, rat, lactating, isolated, effects of starvation, prolactin deficiency and insulin deficiency on the metabolism of glucose in lactating rat mammary gland *in vivo* and in, *in vitro* (Robinson, A. M. & Williamson, D. H.) 153–159

Acylcarnitines, use of a rapid and sensitive spectrophotometric procedure for the demonstration of factors that can be rate-limiting for the β-oxidation of, by mammalian liver, heart and kidney mitochondria (Osmundsen, H. & Bremer, J.) 621–633

Adenine nucleotides, effects of inorganic phosphate and, on the activity of *Anabaena cylindrica* adenosine triphosphate sulphurylase (Sawhney, S. K. & Nicholas, D. J. D.) 161–167

Adenosine as a constituent of rat and guinea-pig brain and isolated cerebral tissues and its relationship to the generation of adenosine 3′:5′-cyclic monophosphate (Newman, M. & McIlwain, H.) 131–137

Adenosine, role of, in the regulation of the secretion of insulin by isolated rat islets of Langerhans (Ismail, N. A., El Denshary, E.-E. S. M. & Montague, W). 409–413

Adenosine 3′:5′-cyclic monophosphate, activation by, of the endogenous phosphorylation of microsomal proteins in ox corpus luteum (Hardie, D. G. & Stansfield, D. A.) 213–221

Adenosine 3′:5′-cyclic monophosphate, adenosine as a constituent of rat and guinea-pig brain and isolated cerebral tissues and its relationship to the generation of (Newman, M. & McIlwain, H.) 131–137

Adenosine 3′:5′-cyclic monophosphate, lack of stimulation by noradrenaline and, of the activity of phospholipase A2 in guinea-pig cerebral cortex (Rowe, C. E.) 287–288

Adenosine diphosphate, effects of alloxan-diabetes on the control of the activity of rat heart mitochondrial pyruvate dehydrogenase by concentration ratios of reduced/oxidized nicotinamide–adenine dinucleotide, of acetyl-coenzyme A/coenzyme A and of adenosine triphosphate and (Kerbey, A. L., Radcliffe, P. M. & Randle, P. J.) 509–519

Adenosine triphosphatase, calcium ion-stimulated, effects of 5-bromo-2′-deoxyuridine on the activity of, in cultured hamster heart cells (Coetzee, G. A., van der Westhuyzen, D. R. & Gevers, W.) 635–643

Adenosine triphosphatase, calcium-or-magnesium ion-dependent, plasma-membrane, stimulation by 5-bromo-2′-deoxyuridine of the activity of, in cultured hamster heart cells (Coetzee, G. A. & Gevers, W.) 645–652

Adenosine triphosphatase, magnesium ion-stimulated, *Escherichia coli* K12, mutation affecting a second component of the F_0 portion of (Gibson, F., Cox, G. B., Downie, J. A. & Radik, J.) 193–198

Adenosine triphosphate, effects of alloxan-diabetes on the control of the activity of rat heart mitochondrial pyruvate dehydrogenase by concentration ratios of reduced/oxidized nicotinamide–adenine dinucleotide, of acetyl-coenzyme A/coenzyme A and of adenosine diphosphate and (Kerbey, A. L., Radcliffe, P. M. & Randle, P. J.) 509–519

Adenosine triphosphate, role of reduced glutathione and, in the self-digestion of human erythrocyte membrane (Brovelli, A., Suhail, M., Pallavicini, G., Sinigaglia, F. & Balduini, C.) 469–472

Adenosine triphosphate sulphurylase, *Anabaena cylindrica*, effects of adenine nucleotides and inorganic phosphate on the activity of (Sawhney, S. K. & Nicholas, D. J. D.) 161–167

Adenylate cyclase, catecholamine-sensitive, effects of guanine nucleotides on the activity of, of rat caudate nucleus and cerebral cortex (Sulakhe, P. V., Leung, N. L.-K., Arbus, A. T., Sulakhe, S. J., Jan, S.-H. & Narayanan, N.) 67–74

Adenylate cyclase, effects of adenosine on the activity of, in and the secretion of insulin by isolated rat islets of Langerhans (Ismail, N. A., El Denshary, E.-E. S. M. & Montague, W.) 409–413

Adipocytes, epididymal, rat, effect of insulin on the release of calcium ions by, and skeletal muscle (Clausen, T. & Martin, B. R.) 251–255

Adrenal-gland cortex, ox, inhibition by cortisol of the binding of corticotropin-(1–24)-tetracosapeptide to receptors in the plasma membrane from (Latner, A. L., Cook, D. B. & Solanki, K. U.) 477–480

Adrenal-gland-cortex cells, cat, isolated, effects of corticotropin-(1–24)-tetracosapeptide and calcium ions on the activities of phospholipases in (Laychock, S. G., Franson, R. C., Weglicki, W. B. & Rubin, R. P.) 753–756

Adrenocorticotropin, *see* Corticotropin
L-Alanine, effect of the administration of, on the concentration of 3-hydroxybutyrate in rat blood (Ozand, P. T., Reed, W. D., Girard, J., Hawkins, R. L., Collins, R. M., Jr., Tildon, J. T. & Cornblath, M.) 557–564
Albumin, serum, ox, effects of chemical modifications of human orosomucoid and, on their rates of clearance from the rat bloodstream and on their rates of pinocytic capture by cultured rat yolk sacs (Moore, A. T., Williams, K. E. & Lloyd, J. B.) 607–616
Aldehyde dehydrogenase, ontogeny and evidence that new isoenzymes of, in 2-acetamidofluorene-induced rat hepatomas are not due to normal gene de-repression (Lindahl, R.) 119–123
Alloxan-diabetes, *see* Diabetes, alloxan-induced
2-Allyl-2-isopropylacetamide, effects of the administration of 3-amino-1,2,4-triazole and, on the biosynthesis and assembly of cytochrome *P*-450 in rat liver microsomal fraction (Bhat, K. S., Sardana, M. K. & Padmanaban, G.) 295–303
Amine oxidase, mixed-function, roles of cytochrome *P*-450 and, in the *N*-oxidation of *NN*-dimethylaniline by rabbit liver microsomal fraction (Hlavica, P. & Kehl, M.) 487–496
Amino acids, adaptation of the oxidation of, in rat skeletal muscle to exercise (Dohm, G. L., Hecker, A. L., Brown, W. E., Klain, G. J., Puente, F. R., Askew, E. W., & Beecher, G. R.) 705–708
Amino acids, inhibition by, and other agents of the degradation of protein in isolated rat hepatocytes (Hopgood, M. F., Clark, M. G. & Ballard, F. J.) 399–407
3-Amino-1,2,4-triazole, effects of the administration of 2-allyl-2-isopropylacetamide and, on the biosynthesis and assembly of cytochrome *P*-450 in rat liver microsomal fraction (Bhat, K. S., Sardana, M. K. & Padmanaban, G.) 295–303
Ammonia, inhibition by, and other agents of the degradation of protein in isolated rat hepatocytes (Hopgood, M. F., Clark, M. G. & Ballard, F. J.) 399–407
Anabaena cylindrica, effects of adenine nucleotides and inorganic phosphate on the activity of adenosine triphosphate sulphurylase from (Sawhney, S. K. & Nicholas, D. J. D.) 161–167
Antioxidants, effects of, on the metabolism of benzo[*a*]pyrene to mutagenic products by rat liver microsomal fraction *in vitro* (Rahimtula, A. D., Zachariah, P. K. & O'Brien, P. J.) 473–475
Arginase, use of coupling to soluble dextran to enhance the persistence of, and other therapeutic enzymes in mouse plasma (Sherwood, R. F., Baird, J. K., Atkinson, T., Wiblin, C. N., Rutter, D. A. & Ellwood, D. C.) 461–464
Arthrobacter simplex, synthesis of derivatives of hexahydroindane as substrates for studying the degradation of cholic acid by (Hayakawa, S., Takata, T., Fujiwara, T. & Hashimoto, S.) 709–714
Aspartate aminotransferases, mitochondrial and cytoplasmic, liver, rat, selective permeability of rat liver mitochondria to, *in vitro* (Marra, E., Doonan, S., Saccone, C. & Quagliariello, E.) 685–691
Aspergillus fumigatus, biosynthesis of chitin in protoplasts and subcellular fractions of (Archer, D. B.) 653–658
Bacillus licheniformis, number and activity of active ribosomes in polyribosomes from *Bacillus stearothermophilus* and (Stenesh, J. & Shen, P. Y.) 669–674
Bacillus stearothermophilus, number and activity of active ribosomes in polyribosomes from *Bacillus licheniformis* and (Stenesh, J. & Shen, P. Y.) 669–674
Benzo[*a*]pyrene, effects of antioxidants on the metabolism of, to mutagenic products by rat liver microsomal fraction *in vitro* (Rahimtula, A. D., Zachariah, P. K. & O'Brien, P. J.) 473–475
BHK cells, *see* Kidney cells, baby-hamster
Bile, excretion of metabolites of diethylstilboestrol monosulphate and diethylstilboestrol disulphate in, in the rat (Barford, P. A., Olavesen, A. H., Curtis, C. G. & Powell, G. M.) 423–430
Bile, mammalian and avian, comparison of the different species of conjugates of bilirubin-IXα in, with the activities of bilirubin-IXα–uridine diphosphate glycosyltransferases in liver and kidney (Fevery, J., Van de Vijver, M., Michiels, R. & Heirwegh, K. P. M.) 737–746
Bile, rat, characterization of the major diazo-positive bile pigments in, of the homozygous Gunn strain (Blanckaert, N., Fevery, J., Heirwegh, K. P. & Compernolle, F.) 237–249
Bile, rat, comparison of the excretion of the four isomers of bilirubin-IX in, of animals of the Wistar and homozygous Gunn strains (Blanckaert, N., Heirwegh, K. P. M. & Zaman, Z.) 229–236
Bile acids, identification of metabolites formed from 3 - (3aα - hexahydro - 7aβ - methyl - 1,5 - dioxoindan - 4α-yl)propionate and their relevance to the degradation of, by *Streptomyces rubescens* (Hashimoto, S. & Hayakawa, S.) 715–726
Bile acids, synthesis of derivatives of hexahydroindane as substrates for studying the degradation of, by *Arthrobacter simplex* (Hayakawa, S., Takata, T., Fujiwara, T. & Hashimoto, S.) 709–714
Bile pigments, characterization of the major diazo-positive components of, in bile of homozygous Gunn rats (Blanckaert, N., Fevery, J., Heirwegh, K. P. M. & Compernolle, F.) 237–249
Bile pigments, relationship between the conformation of, and their biliary excretion in Wistar and homozygous Gunn rats (Blanckaert, N., Heirwegh, K. P. M. & Zaman, Z.) 229–236
Bilirubin-IX, characterization of the four isomers of, and other major diazo-positive bile pigments in bile of homozygous Gunn rats (Blanckaert, N., Fevery, J., Heirwegh, K. P. M. & Compernolle, F.) 237–249
Bilirubin-IX, comparison of the biliary excretion of the four isomers of, in Wistar and homozygous Gunn rats (Blanckaert, N., Heirwegh, K. P. M. & Zaman, Z.) 229–236
Bilirubin-IXα, comparison of the different species of conjugates of, in bile with the activities of bilirubin-IXα–uridine diphosphate glycosyltransferases in liver and kidney of various mammalian and avian species (Fevery, J., Van de Vijver, M., Michiels, R. & Heirwegh, K. P. M.) 737–746

Bilirubin-IXα-uridine diphosphate glycosyltransferases, liver and kidney, mammalian and avian, comparison of the different species of conjugates of bilirubin-IXα in bile with the activities of (Fevery, J., Van de Vijver, M., Michiels, R. & Heirwegh, K. P. M.) 737–746

Bipyridylium compounds, effects of permeability barriers imposed by the cytoplasmic membrane on the sites and specificity of the reaction of, with enzymes involved in anaerobic respiration in *Escherichia coli* (Jones, R. W. & Garland, P. B.) 199–211

Blood, rat, effect of the administration of L-alanine on the concentration of 3-hydroxybutyrate in (Ozand, P. T., Reed, W. D., Girard, J., Hawkins, R. L., Collins, R. M., Jr., Tildon, J. T. & Cornblath, M.) 557–564

Blood, rat, effects of chemical modifications of ox serum albumin and human orosomucoid on their rates of clearance from, and on their rates of pinocytic capture by cultured rat yolk sacs (Moore, A. T., Williams, K. E. & Lloyd, J. B.) 607–616

Blood plasma, mouse, use of coupling to soluble dextran to enhance the persistence of therapeutic enzymes in (Sherwood, R. F., Baird, J. K., Atkinson, T., Wiblin, C. N., Rutter, D. A. & Ellwood, D. C.) 461–464

Blood plasma, rat, effects of di-isopropyl phosphorofluoridate on the activities of β-glucuronidases of, and liver microsomal and lysosomal fractions (Mandell, B. & Stahl, P.) 549–556

Blood plasma, rat, purification of rat liver particulate neutral ribonuclease and comparison of its properties with those of ribonucleases from, and pancreas (Bartholeyns, J. & Baudhuin, P.) 675–683

Blowfly (*Phormia regina*), nature of controlled respiration and its relationship to protonmotive force and the conductance of protons in flight-muscle mitochondria from (Johnson, R. N. & Hansford, R. G.) 305–322

Brain, mouse, turnover of myelin proteins in, *in vivo* (Lajtha, A., Toth, J., Fujimoto, K. & Agrawal, H. C.) 323–329

Brain, rat and guinea-pig, adenosine as a constituent of, and its relationship to the generation of adenosine 3′:5′-cyclic monophosphate (Newman, M. & McIlwain, H.) 131–137

Brain, rat, comparative studies on the metabolism of glutamate in synaptic and non-synaptic mitochondria from (Dennis, S. C., Lai, J. C. K. & Clark, J. B.) 727–736

Brain, rat, effects of guanine nucleotides on the activity of catecholamine-sensitive adenylate cyclase of the caudate nucleus and cerebral cortex of (Sulakhe, P. V., Leung, N. L.-K., Arbus, A. T., Sulakhe, S. J., Jan, S.-H. & Narayanan, N.) 67–74

Brain cortex, guinea-pig, lack of stimulation by noradrenaline and adenosine 3′:5′-cyclic monophosphate of the activity of phospholipase A2 in (Rowe, C. E.) 287–288

Brain cortex, rat, changes in the activities of enzymes involved in energy metabolism in mitochondria of, during postnatal development (Land, J. M., Booth, R. F. G., Berger, R. & Clark, J. B.) 339–348

5-Bromo-2′-deoxyuridine, effects of, on the differentiation of cultured hamster heart cells (Coetzee, G. A., van der Westhuyzen, D. R. & Gevers, W.) 635–643

5-Bromo-2′-deoxyuridine, stimulation by, of the activity of plasma-membrane calcium-or-magnesium ion-dependent adenosine triphosphatase in cultured hamster heart cells (Coetzee, G. A. & Gevers, W.) 645–652

Butyrate, effects of lactation on ketogenesis from oleate or, in isolated rat hepatocytes (Whitelaw, E. & Williamson, D. H.) 521–528

Calcium ions, effect of insulin on the release of, by rat epididymal adipocytes and skeletal muscle (Clausen, T. & Martin, B. R.) 251–255

Calcium ions, effects of corticotropin-(1–24)-tetracosapeptide and, on the activities of phospholipases in isolated cat adrenal-gland-cortex cells (Laychock, S. G., Franson, R. C., Weglicki, W. B. & Rubin, R. P.) 753–756

Calcium ions, stimulation by phosphorylase kinase of the accumulation of, by guinea-pig heart sarcolemma (Sulakhe, P. V. & St. Louis, P. J.) 457–459

Carboxypeptidase G, use of coupling to soluble dextran to enhance the persistence of, and other therapeutic enzymes in mouse plasma (Sherwood, R. F., Baird, J. K., Atkinson, T., Wiblin, C. N., Rutter, D. A. & Ellwood, D. C.) 461–464

Cardiac cells, *see* Heart cells

Cartilage, biosynthesis of proteoglycan specific for, by suspension cultures of adult pig larynx chondrocytes (Wiebkin, O. W. & Muir, H.) 269–272

Cartilage, limb, chick-embryo, heterogeneity of proteoglycans in, during development (Vasan, N. S. & Lash, J. W.) 179–183

Catalse, changes in the rates of biosynthesis and degradation of, in maize seedlings during germination (Sorenson, J. C., Ganapathy, P. S. & Scandalios, J. G.) 113–117

Catecholamines, effects of guanine nucleotides on the stimulation by, of the activity of adenylate cyclase of rat caudate nucleus and cerebral cortex (Sulakhe, P. V., Leung, N. L.-K., Arbus, A. T., Sulakhe, S. J., Jan, S.-H. & Narayanan, N.) 67–74

Cations, effects of, and other agents on the utilization of haem by rat liver apo-(tryptophan pyrrolase) (Badawy, A. A.-B.) 431–438

Caudate nucleus, rat, effects of guanine nucleotides on the activity of catacholamine-sensitive adenylate cyclase of, and cerebral cortex (Sulakhe, P. V., Leung, N. L.-K., Arbus, A. T., Sulakhe, S. J., Jan, S.-H. & Narayanan, N.) 67–74

Cells, chick-embryo, cultured, characterization and effects of a photoproduct of 7,12-dimethylbenz[*a*]anthracene on (Warshawsky, D., Kerns, E., Bissell, M. J. & Calvin, M.) 481–486

Cells, kidney, baby-hamster, factors affecting the production by, of BHK glycoprotein I which cross-reacts immunologically with Tamm–Horsfall glycoprotein (Bloomfield, F. J., Dunstan, D. R., Foster, C. L., Serafini-Cessi, F. & Marshall, R. D.) 41–51

Cells, NIL 2E, effects of dolichol monophosphate on the incorporation of galactose into glycoconjugates of cultures of (McEvoy, F. A., Ellis, D. E. & Shall, S.) 273–275

Cerebral cortex, guinea-pig, lack of stimulation by noradrenaline and adenosine 3′:5′-cyclic monophosphate of the activity of phospholipase A2 in (Rowe, C. E.) 287–288

Cerebral cortex, rat, changes in the activities of enzymes involved in energy metabolism in mitochondria of, during postnatal development (Land, J. M., Booth, R. F. G., Berger, R. & Clark, J. B.) 339–348

Cerebral cortex, rat, effects of guanine nucleotides on the activity of catecholamine-sensitive adenylate cyclase of, and caudate nucleus (Sulakhe, P. V., Leung, N. L.-K., Arbus, A. T., Sulakhe, S. J., Jan, S.-H. & Narayanan, N.) 67–74

Cerebrum, rat and guinea-pig, adenosine as a constituent of, and its relationship to the generation of adenosine 3′:5′-cyclic monophosphate (Newman, M. & McIlwain, H.) 131–137

Chick, feedback regulation by 1,25-dihydroxycholecalciferol of the metabolism of vitamin D in kidney of (Colston, K. W., Evans, I. M. A., Spelsberg, T. C. & MacIntyre, I.) 83–89

Chick embryo, effects of cortisol acetate on the biosynthesis of collagen and on the activities of prolyl hydroxylase, lysyl hydroxylase, collagen galactosyltransferase and collagen glucosyltransferase in cultured tendon cells from (Oikarinen, A.) 533–539

Chick embryo, heterogeneity of proteoglycans in limb cartilage of, during development (Vasan, N. S. & Lash, J. W.) 179–183

Chick-embryo cells, cultured, characterization and effects of a photoproduct of 7,12-dimethylbenz[*a*]-anthracene on (Warshawsky, D., Kerns, E., Bissell, M. J. & Calvin, M.) 481–486

Chitin, biosynthesis of, in protoplasts and subcellular fractions of *Aspergillus fumigatus* (Archer, D. B.) 653–658

Chlorella fusca var. *vacuolata*, basal activity and kinetics of the induction of isocitrate lyase in (Thurston, C. F.) 147–151

Cholecalciferol, feedback regulation by 1,25-dihydroxycholecalciferol of the metabolism of, in chick kidney (Colston, K. W., Evans, I. M. A., Spelsberg, T. C. & MacIntyre, I.) 83–89

Cholesterol, dietary, effect of, on the activity of microsomal 3-hydroxy-3-methylglutaryl-coenzyme A reductase in rat liver (Baqir, Y. A. & Booth, R.) 501–508

Cholic acid, identification of metabolites formed from 3-(3aα-hexahydro-7aβ-methyl-1,5-dioxoindan-4α-yl)propionate and their relevance to the degradation of, by *Streptomyces rubescens* (Hashimoto, S. & Hayakawa, S.) 715–726

Cholic acid, synthesis of derivatives of hexahydroindane as substrates for studying the degradation of, by *Arthrobacter simplex* (Hayakawa, S., Takata, T., Fujiwara, T. & Hashimoto, S.) 709–714

Chondrocytes, larynx, pig, adult, biosynthesis of cartilage-specific proteoglycan by suspension cultures of (Wiebkin, O. W. & Muir, H.) 269–272

Chromatin, changes in composition of, and genomic activity of nuclei of maturing rooster testis during spermatogenesis (Mezquita, C. & Teng, C. S.) 99–111

Citric acid cycle, *see* Tricarboxylic acid cycle

Coenzyme A, effects of alloxan-diabetes on the control of the activity of rat heart mitochondrial pyruvate dehydrogenase by concentration ratios of adenosine triphosphate/adenosine diphosphate, of reduced/oxidized nicotinamide–adenine dinucleotide and of acetyl-coenzyme A and (Kerbey, A. L., Radcliffe, P. M. & Randle, P. J.) 509–519

Collagen, effects of cortisol acetate on the activities of prolyl hydroxylase, lysyl hydroxylase, collagen galactosyltransferase and collagen glucosyltransferase and on the biosynthesis of, in cultured chick-embryo tendon cells (Oikarinen, A.) 533–539

Collagen galactosyltransferase, effects of cortisol acetate on the biosynthesis of collagen and on the activities of prolyl hydroxylase, lysyl hydroxylase, collagen glucosyltransferase and, in cultured chick-embryo tendon cells (Oikarinen, A.) 533–539

Collagen glucosyltransferase, effects of cortisol acetate on the biosynthesis of collagen and on the activities of prolyl hydroxylase, lysyl hydroxylase, collagen galactosyltransferase and, in cultured chick-embryo tendon cells (Oikarinen, A.) 533–539

Corpus luteum, ox, activation by adenosine 3′:5′-cyclic monophosphate of the endogenous phosphorylation of microsomal proteins in (Hardie, D. G. & Stansfield, D. A.) 213–221

Corticotropin - (1 – 24) - tetracosapeptide (Synacthen), effects of calcium ions and, on the activities of phospholipases in isolated cat adrenal-gland-cortex cells (Laychock, S. G., Franson, R. C., Weglicki, W. B. & Rubin, R. P.) 753–756

Corticotropin-(1–24)-tetracosapeptide (Synacthen), inhibition by cortisol of the binding of, to receptors in ox adrenal-gland-cortex plasma membrane (Latner, A. L., Cook, D. B. & Solanki, K. U.) 477–480

Cortisol, inhibition by, of the binding of corticotropin-(1–24)-tetracosapeptide to receptors in ox adrenal-gland-cortex plasma membrane (Latner, A. L., Cook, D. B. & Solanki, K. U.) 477–480

Cortisol acetate, effects of, on the biosynthesis of collagen and on the activities of prolyl hydroxylase, lysyl hydroxylase, collagen galactosyltransferase and collagen glucosyltransferase in cultured chick-embryo tendon cells (Oikarinen, A.) 533–539

Corynebacterium sp. N.C.I.B. 11102, initiation by threonine dehydratase of the degradation of threonine in (Bell, S. C. & Turner, J. M.) 579–587

Cyclic adenosine 3′:5′-monophosphate, *see* Adenosine 3′:5′-cyclic monophosphate

Cyclic nucleotides, *see* Nucleotides, cyclic

Cyclohexanecarboxylate, metabolism of, in the rat (Brewster, D., Jones, R. S. & Parke, D. V.) 595–600

Cytochrome *P*-450, role of haem in the biosynthesis and assembly of, in rat liver microsomal fraction (Bhat, K. S., Sardana, M. K. & Padmanaban, G.) 295–303

Cytochrome *P*-450, roles of mixed-function amine oxidase and, in the *N*-oxidation of *NN*-dimethylaniline by rabbit liver microsomal fraction (Hlavica, P. & Kehl, M.) 487–496

Deoxyribonucleic acid, incorporation of 5-bromo-2′-deoxyuridine into, in cultured hamster heart cells (Coetzee, G. A. & Gevers, W.) 645–652

Deoxyribonucleic acids, liver and kidney, rat, methylation of, in animals given small oral doses of dimethylnitrosamine (Diaz Gomez, M. I., Swann, P. F. & Magee, P. N.) 497–500
Development, heterogeneity of proteoglycans in chick-embryo limb cartilage during (Vasan, N. S. & Lash, J. W.) 179–183
Development, neonatal, changes in the activity of mitochondrial acetyl-coenzyme A acetyltransferase in rat liver during starvation and (Reed, W. D., Ozand, P. T., Tildon, J. T. & Cornblath, M.) 27–32
Development, neonatal, changes in the activity of pyruvate dehydrogenase in hamster small intestine during (Schiller, C. M.) 693–697
Development, postnatal, changes in the activities of enzymes involved in energy metabolism in rat cerebral-cortex mitochondria during (Land, J. M., Booth, R. F. G., Berger, R. & Clark, J. B.) 339–348
Dextran, soluble, use of coupling to soluble dextran to enhance the persistence of therapeutic enzymes in (Sherwood, R. F., Baird, J. K., Atkinson, T., Wiblin, C. N., Rutter, D. A. & Ellwood, D. C.) 461–464
Diabetes, alloxan-induced, effect of, on the control of the activity of pyruvate dehydrogenase in rat heart mitochondria by concentration ratios of adenosine triphosphate/adenosine diphosphate, of reduced/oxidized nicotinamide–adenine dinucleotide and of acetyl-coenzyme A/coenzyme A (Kerbey, A. L., Radcliffe, P. M. & Randle, P. J.) 509–519
Diabetes, streptozotocin-induced, effects of starvation and, on the activity of phosphoenolpyruvate carboxykinase in guinea-pig liver and kidney cortex (Elliott, K. R. F. & Pogson, C. I.) 357–361
Diet, effect of changes in the protein content of, on the degradation of abnormal proteins in mouse liver (Amils, R., Conde, R. D. & Scornik, O. A.) 363–369
Diethylstilboestrol disulphate, metabolic fates and modes of excretion of diethylstilboestrol monosulphate and, in the rat (Barford, P. A., Olavesen, A. H., Curtis, C. G. & Powell, G. M.) 423–430
Diethylstilboestrol monosulphate, metabolic fates and modes of excretion of diethylstilboestrol disulphate and, in the rat (Barford, P. A., Olavesen, A. H., Curtis, C. G. & Powell, G. M.) 423–430
1-{2-(*p*-3,4-Dihydro-6-methoxy-2-phenylnaphth-1-yl)-phenoxy]ethyl}pyrrolidine hydrochloride (nafoxidine hydrochloride), interaction of, with the soluble nuclear oestradiol-receptor protein in chick liver (Lazier, C. B. & Alford, W. S.) 659–667
1,25-Dihydroxycholecalciferol, feedback regulation by, of the metabolism of vitamin D in chick kidney (Colston, K. W., Evans, I. M. A., Spelsberg, T. C. & MacIntyre, I.) 83–89
1,6-Dihydroxyphenazine 5,10-dioxide (iodinin), incorporation of shikimate into, and other phenazines and their further metabolism by *Pseudomonas phenazinium* N.C.I.B. 11027 (Byng, G. S. & Turner, J. M.) 139–145
Di-isopropyl phosphorofluoridate, effects of, on the activities of rat liver microsomal and lysosomal β-glucuronidases (Mandell, B. & Stahl, P.) 549–556
NN-Dimethylaniline, roles of cytochrome *P*-450 and mixed-function amine oxidase in the *N*-oxidation of, by rabbit liver microsomal fraction (Hlavica, P. & Kehl, M.) 487–496
7,12-Dimethylbenz[*a*]anthracene, characterization and effects of, on cultured chick-embryo cells (Warshawsky, D., Kerns, E., Bissell, M. J. & Calvin, M.) 481–486
Dimethylnitrosamine, absorption and metabolism in the rat of small oral doses of, and implications for the possible hazard of the carcinogen in human food (Diaz Gomez, M. I., Swann, P. F. & Magee, P. N.) 497–500
Dolichol monophosphate, effects of, on the incorporation of galactose into glycoconjugates of NIL 2E cell cultures (McEvoy, F. A., Ellis, D. E. & Shall, S.) 273–275

Electrons, mutation causing the uncoupling of oxidative phosphorylation and the transport of, and also affecting a second component of the F_0 portion of the magnesium ion-stimulated adenosine triphosphatase of *Escherichia coli* K12 (Gibson, F., Cox, G. B., Downie, J. A. & Radik, J.) 193–198
Electrons, translocation of protons coupled to the flow of, from endogenous substrates to fumarate in anaerobically grown *Escherichia coli* K12 (Gutowski, S. J. & Rosenberg, H.) 265–267
Endoplasmic reticulum, *see* Reticulum, endoplasmic
Enterocytes, small-intestinal, rat, characteristics of iron transport by vesicles of brush-border and basolateral plasma membranes from (Eastham, E. J., Bell, J. I. & Douglas, A. P.) 289–294
Enzymes, therapeutic, use of coupling to soluble dextran to enhance the persistence of, in mouse plasma (Sherwood, R. F., Baird, J. K., Atkinson, T., Wiblin, C. N., Rutter, D. A. & Ellwood, D. C.) 461–464
Epididymis, rat, effect of insulin on the release of calcium ions by, and skeletal muscle (Clausen, T. & Martin, B. R.) 251–255
7,12-Epidioxy-7,12-dimethylbenza[*a*]anthracene, effects of, on cultured chick-embryo cells (Warshawsky, D., Kerns, E., Bissell, M. J. & Calvin, M.) 481–486
Erythrocytes, human, choice of detergent for the solubilization of the membrane of (Grant, D. A. W. & Hjertén, S.) 465–468
Erythrocytes, human, reconstitution of glucose-transporting vesicles from membranes of, disaggregated in detergent (Edwards, P. A. W.) 125–129
Erythrocytes, human, role of adenosine triphosphate and reduced glutathione in the self-digestion of the membrane of (Brovelli, A., Suhail, M., Pallavicini, G., Sinigaglia, F. & Balduini, C.) 469–472
Erythrocytes, rabbit, changes in the components of the surface membrane during the differentiation of, and reticulocytes (Light, N. D. & Tanner, M. J. A.) 565–578
Erythroid cells, rabbit, changes in the components of the surface membrane during the differentiation of (Light, N. D. & Tanner, M. J. A.) 565–578
Escherichia coli, effects of permeability barriers imposed by the cytoplasmic membrane on the sites and specificity of the reaction of bipyridylium compounds with enzymes involved in anaerobic respiration in (Jones, R. W. & Garland, P. B.) 199–211
Escherichia coli K12, anaerobically grown, translocation of protons coupled to the flow of electrons from endogenous substrates to fumarate in (Gutowski, S. J. & Rosenberg, H.) 265–267

Escherichia coli K12, mutation affecting a second component of the F_0 portion of the magnesium ion-stimulated adenosine triphosphatase of (Gibson, F., Cox, G. B., Downie, J. A. & Radik, J.) 193–198
Estradiol, *see* Oestradiol
Estrogens, *see* Oestrogens
Ethanol, effects of prolonged ingestion of, on lipogenesis and related enzyme activities in rat liver (Savolainen, M. J., Hiltunen, J. K. & Hassinen, I. E.) 169–177
Exercise, adaptation of the metabolism of protein in rat skeletal muscle to (Dohm, G. L., Hecker, A. R., Brown, W. E., Klain, G. J., Puente, F. R., Askew, E. W. & Beecher, G. R.) 705–708

Fat-cells, epididymal, rat, effect of insulin on the release of calcium ions by, and skeletal muscle (Clausen, T. & Martin, B. R.) 251–255
Fatty acids, effects of prolonged ingestion of ethanol on the biosynthesis of, in rat liver (Savolainen, M. J., Hiltunen, J. K. & Hassinen, I. E.) 169–177
Fatty acylcarnitines, use of a rapid and sensitive spectrophotometric procedure for the demonstration of factors that can be rate-limiting for the β-oxidation of, by mammalian liver, heart and kidney mitochondria (Osmundsen, H. & Bremer, J.) 621–633
Ferrous ions, characteristics of the transport of, by vesicles of rat small-intestinal enterocyte brush-border and basolateral plasma membranes (Eastham, E. J., Bell, J. I. & Douglas, A. P.) 289–294
Fibroblasts, chick-embryo, cultured, characterization and effects of a photoproduct of 7,12-dimethylbenz[*a*] anthracene on (Warshawksy, D., Kerns, E., Bissell, M. J. & Calvin, M.) 481–486
Flight muscle, *see* Muscle, flight
Fluoropyrimidines, activity of uridine kinase and the phosphorylation of pyrimidine nucleosides in cell lines of rat Novikoff hepatoma that are sensitive to and resistant to (Greenberg, N., Schumm, D. E. & Webb, T. E.) 379–387
Folates, retention of, in various rat tissues after the administration of folic acid (Barford, P. A., Staff, F. J. & Blair, J. A.) 601–605
Folic acid, retention of folates in various rat tissues after the administration of (Barford, P. A., Staff, F. J. & Blair, J. A.) 601–605
Food, human, absorption and metabolism in the rat of small oral doses of dimethylnitrosamine and implications for the possible hazard of the carcinogen in (Diaz Gomez, M. I., Swann, P. F. & Magee, P. N.) 497–500
Fumarate, translocation of protons coupled to the flow of electrons from endogenous substrates to, in anaerobically grown *Escherichia coli* K12 (Gutowski, S. J. & Rosenberg, H.) 265–267

Galactosamine, changes in the activity of guanylate cyclase and in concentrations of cyclic nucleotides in rat liver during renegeration after partial hepatectomy and after the administration of (Goridis, C., Zwiller, J. & Reutter, W.) 33–39
Galactose, effects of dolichol monophosphate on the incorporation of, into glycoconjugates of NIL 2E cell cultures (McEvoy, F. A., Ellis, D. E. & Shall, S.) 273–275
Galactosyltransferase, membrane-bound, microsomal, liver, rat, purification and properties of (Fraser, I. H. & Mookerjea, S.) 541–547
Gaucher's disease, rapid partial purification of human placenta glucocerebroside β-glucosidase and its entrapment in liposomes for possible use in the treatment of patients with (Braidman, I. P. & Gregoriadis, G.) 439–445
Germination, changes in the rates of biosynthesis and degradation of catalase in maize seedlings during (Sorenson, J. C., Ganapathy, P. S. & Scandalios, J. G.) 113–117
α_{2u}-Globulin, inhibition by oestrogens of the biosynthesis of, and its messenger ribonucleic acid in rat liver (Roy, A. K., Dowbenko, D. J. & Schiop, M. J.) 91–97
Glucocerebroside β-glucosidase, placenta, human, rapid partial purification of, and its entrapment in liposomes for possible use in the treatment of patients with Gaucher's disease (Braidman, I. P. & Gregoriadis, G.) 439–445
Gluconeogenesis, effects of starvation and streptozotocin-diabetes on, in guinea-pig liver and kidney cortex (Elliott, K. R. F. & Pogson, C. I.) 357–361
Gluconeogenesis, mechanism of the inhibition by acidosis of, from lactate in rat liver (Iles, R. A., Cohen, R. D., Rist, A. H. & Baron, P. G.) 185–191
Glucose, effects of starvation, prolactin deficiency and insulin deficiency on the metabolism of, in lactating rat mammary gland *in vivo* and *in vitro* (Robinson, A. M. & Williamson, D. H.) 153–159
Glucose, effects of the administration of acetoacetate on the metabolism of, in the mammary gland of fed lactating rats (Robinson, A. M. & Williamson, D. H.) 749–752
Glucose, mechanism of the inhibition by acidosis of the formation of, from lactate in rat liver (Iles, R. A., Cohen, R. D., Rist, A. H. & Baron, P. G.) 185–191
Glucose, reconstitution of vesicles for the transport of, from human erythrocyte membranes disaggregated in detergent (Edwards, P. A. W.) 125–129
Glucose, release of insulin due to glycogenolysis in isolated rat islets of Langerhans deprived of (Malaisse, W. J., Sener, A., Koser, M., Ravazzola, M. & Malaisse-Lagae, F.) 447–454
Glucose, steady-state metabolism and transport of, by everted sacs of rat small intestine *in vitro* (Pritchard, P. J. & Porteous, J. W.) 1–14
β-Glucosidase, alternative hypothesis for the cellular transport of, and other lysosomal enzymes (Lloyd, J. B.) 281–282
β-Glucuronidases, microsomal and lysosomal, liver, rat, effects of di-isopropyl phosphorofluoridate on the activities of (Mandell, B. & Stahl, P.) 549–556
Glucuronide, biosynthesis of, of tyramine by liver microsomal fraction from various mammalian species (Wong, K. P.) 529–531
Glutamate, comparative studies on the metabolism of, in rat brain synaptic and non-synaptic mitochondria (Dennis, S. C., Lai, J. C. K. & Clark, J. B.) 727–736
Glutamine, transport and metabolism of, by kidney-cortex mitochondria from normal and acidotic rats (Brosnan, J. T. & Hall, B.) 331–337

Glutathione, reduced, role of adenosine triphosphate and, in the self-digestion of human erythrocyte membrane (Brovelli, A., Suhail, M., Pallavicini, G., Sinigaglia, F. & Balduini, C.) 469–472

Glycerolipids, comparison of the effects of phytohaemagglutinin and ionophore A23187 on the metabolism of, in pig lymphocytes (Allan, D. & Michell, R. H.) 389–397

Glycine acyltransferase, effects of substrates of, and other agents on the utilization of haem by rat liver apo-(tryptophan pyrrolase) (Badawy, A. A.-B.) 431–438

Glycoconjugates, effects of dolichol monophosphate on the incorporation of galactose into, of NIL 2E cell cultures (McEvoy, F. A., Ellis, D. E. & Shall, S.) 273–275

Glycogenolysis, release of insulin due to, in glucose-deprived isolated rat islets of Langerhans (Malaisse, W. J., Sener, A., Koser, M., Ravazzola, M. & Malaisse-Lagae, F.) 447–454

Glycopeptide, sialo-, effect of adenosine triphosphate and reduced glutathione on the release of, during self-digestion of human erythrocyte membrane (Brovelli, A., Suhail, M., Pallavicini, G., Sinigaglia, F. & Balduini, C.) 469–472

Glycoprotein, Tamm–Horsfall, factors affecting the production by baby-hamster kidney cells of BHK glycoprotein I which cross-reacts immunologically with (Bloomfield, F. J., Dunstant, D. R., Foster, C. L., Serafini-Cessi, F. & Marshall, R. D.) 41–51

Glycoprotein I, BHK, factors affecting the production by baby-hamster kidney cells of, which cross-reacts immunologically with Tamm–Horsfall glycoprotein (Bloomfield, F. J., Dunstan, D. R., Foster, C. L., Serafini-Cessi, F. & Marshall, R. D.) 41–51

Glycoproteins, effects of dolichol monophosphate on the incorporation of galactose into, of NIL 2E cell cultures (McEvoy, F. A., Ellis, D. E. & Shall, S.) 273–275

Glycosaminoglycan, heparan sulphate-like, structure and metabolism of, of rat liver cells (Oldberg, Å., Höök, M., Öbrink, B., Pertoft, H. & Rubin, K.) 75–81

Guanine nucleotides, effects of, on the activity of catecholamine-sensitive adenylate cyclase of rat caudate nucleus and cerebral cortex (Sulakhe, P. V., Leung, N. L.-K., Arbus, A. T., Sulakhe, S. J., Jan, S.-H. & Narayanan, N.) 67–74

Guanylate cyclase, changes in the activity of, and in concentrations of cyclic nucleotides in rat liver during regeneration after partial hepatectomy (Goridis, C., Zwiller, J. & Reutter, W.) 33–39

Haem, effects of acetate, metal cations, phenobarbitone, porphyrogens and substrates of glycine acyltransferase on the utilization of, by rat liver apo-(tryptophan pyrrolase) (Badawy, A. A.-B.) 431–438

Haem, role of, in the biosynthesis and assembly of cytochrome *P*-450 in rat liver microsomal fraction (Bhat, K. S., Sardana, M. K. & Padmanaban, G.) 295–303

Heart, guinea-pig, stimulation by phosphorylase kinase of the accumulation of calcium ions by sarcolemma from (Sulakhe, P. V. & St. Louise, P. J.) 457–459

Heart, ox, inhibition by DL-8-methyldihydrolipoate of oxidative phosphorylation by mitochondria from (Griffiths, D. E., Cain, K. & Hyams, R. L.) 699–704

Heart, pigeon, probable site of action of 1,1,1-trifluoro-3-then-2′-oylacetone on the respiratory chain of mitochondria from (Ingledew, W. J. & Ohnishi, T.) 617–620

Heart, rat, effects of alloxan-diabetes on the control of the activity of pyruvate dehydrogenase in mitochondria from, by concentration ratios of adenosine triphosphate/adenosine diphosphate, of reduced/oxidized nicotinamide–adenine dinucleotide and of acetylcoenzyme A/coenzyme A (Kerbey, A. L., Radcliffe, P. M. & Randle, P. J.) 509–519

Heart, rat, use of a rapid and sensitive spectrophotometric procedure for the demonstration of factors that can be rate-limiting for the β-oxidation of acylcarnitines by mitochondria from, and other mammalian tissues (Osmundsen, H. & Bremer, J.) 621–633

Heart, ruminant and non-ruminant, activities of 2-oxoglutarate dehydrogenase and pyruvate dehydrogenase in, and mammary gland (Read, G., Crabtree, B. & Smith, G. H.) 349–355

Heart cells, hamster, cultured, effects of 5-bromo-2′-deoxyuridine on the differentiation of (Coetzee, G. A., van der Westhuyzen, D. R. & Gevers, W.) 635–643

Heart cells, hamster, cultured, stimulation by 5-bromo-2′-deoxyuridine of the activity of plasma-membrane calcium-or-magnesium ion-dependent adenosine triphosphatase in (Coetzee, G. A. & Gevers, W.) 645–652

Heparan sulphate, structure and metabolism of, of rat liver cells (Oldberg, Å., Höök, M., Öbrink, B., Pertoft, H. & Rubin, K.) 75–81

Hepatectomy, partial, changes in the activity of guanylate cyclase and in concentrations of cyclic nucleotides in rat liver during regeneration after (Goridis, C., Zwiller, J. & Reutter, W.) 33–39

Hepatectomy, partial, changes in the activity of uridine diphosphate *N*-acetylglucosamine–asparagine-sequon *N*-acetyl-β-D-glucosaminyltransferase in preparations of rat liver rough endoplasmic reticulum during regeneration after (Khalkhali, Z., Serafini-Cessi, F. & Marshall, R. D.) 257–261

Hepatocytes, rat and guinea-pig, isolated, permeability of the plasma membrane of, to quinolinate (Elliott, K. R. F., Pogson, C. I. & Smith, S. A.) 283–286

Hepatocytes, rat, isolated, effects of lactation on ketogenesis from oleate or butyrate in (Whitelaw, E. & Williamson, D. H.) 521–528

Hepatocytes, rat, isolated, inhibition of the degradation of protein in (Hopgood, M. F., Clark, M. G. & Ballard, F. J.) 399–407

Hepatocytes, rat, isolated, preparation of subfractions of plasma membranes from (Wisher, M. H. & Evans, W. H.) 415–422

Hepatocytes, rat, structure and metabolism of heparan sulphate of (Oldberg, Å., Höök, M., Öbrink, B., Pertoft, H. & Rubin, K.) 75–81

Hepatoma, Novikoff, rat, activity of uridine kinase and the phosphorylation of pyrimidine nucleosides in fluoropyrimidine-sensitive and -resistant cell lines of (Greenberg, N., Schumm, D. E. & Webb, T. E.) 379–387

Hepatomas, rat, 2-acetamidofluorene-induced, ontogeny and evidence that new isoenzymes of aldehyde dehydrogenase in, are not due to normal gene de-repression (Lindahl, R.) 119–123

Hexahydroindane, synthesis of derivatives of, as substrates for studying the degradation of cholic acid by *Arthrobacter simplex* (Hayakawa, S., Takata, T., Fujiwara, T. & Hashimoto, S.) 709–714
3-(3aα-Hexahydro-7aβ-methyl-1,5-dioxoindan-4α-yl)-propionate, identification of metabolites formed from, and their relevance to the degradation of cholic acid by *Streptomyces rubescens* (Hashimoto, S. & Hayakawa, S.) 715–726
Hexokinase, changes in the activities of, and other enzymes involved in energy metabolism in rat cerebral-cortex mitochondria during postnatal development (Land, J. M., Booth, R. F. G., Berger, R. & Clark, J. B.) 339–348
Hippurate, identification of, and other metabolites of cyclohexanecarboxylate excreted in the urine in the rat (Brewster, D., Jones, R. S. & Parke, D. V.) 595–600
Hydrocortisone, *see* Cortisol
Hydrogen ions, changes in the kinetic behaviour of the transport of threonine into *Trypanosoma brucei* elicited by variation in the external concentration of (Voorheis, H. P.) 15–25
Hydrogen ions, nature of controlled respiration and its relationship to protonmotive force and the conductance of, in blowfly flight-muscle mitochondria (Johnson, R. N. & Hansford, R. G.) 305–322
Hydrogen ions, translocation of, coupled to the flow of electrons from endogenous substrates to fumarate in anaerobically grown *Escherichia coli* K12 (Gutowski, S. J. & Rosenberg, H.) 265–267
3-Hydroxybutyrate, effect of the administration of L-alanine on the concentration of, in rat blood (Ozand, P. T., Reed, W. D., Girard, J., Hawkins, R. L., Collins, R. M., Jr., Tildon, J. T. & Cornblath, M.) 557–564
3-Hydroxy-3-methylglutaryl-coenzyme A reductase, microsomal, liver, rat, new method for assaying the activity of, and its application to a study of the effect of dietary cholesterol on the enzyme (Baqir, Y. A. & Booth, R.) 501–508

Insulin, effect of, on the release of calcium ions by rat epididymal adipocytes and skeletal muscle (Clausen, T. & Martin, B. R.) 251–255
Insulin, effects of starvation, prolactin deficiency and deficiency of, on the metabolism of glucose in lactating rat mammary gland *in vivo* and *in vitro* (Robinson, A. M. & Williamson, D. H.) 153–159
Insulin, inhibition by, and other agents of the degradation of protein in isolated rat hepatocytes (Hopgood, M. F., Clark, M. G. & Ballard, F. J.) 399–407
Insulin, release of, due to glycogenolysis in glucose-deprived isolated rat islets of Langerhans (Malaisse, W. J., Sener, A., Koser, M., Ravazzola, M. & Malaisse-Lagae, F.) 447–454
Insulin, role of adenosine in the regulation of the secretion of, by isolated rat islets of Langerhans (Ismail, N. A., El Denshary, E.-E. S. M. & Montague, W.) 409–413
Intestine, small, hamster, changes in the activity of pyruvate dehydrogenase in, during neonatal development (Schiller, C. M.) 693–697
Intestine, small, rat, characteristics of iron transport by vesicles of enterocyte brush-border and basolateral plasma membranes from (Eastham, E. J., Bell, J. I. & Douglas, A. P.) 289–294
Intestine, small, rat, steady-state metabolism and transport of glucose by everted sacs of, *in vitro* (Pritchard, P. J. & Porteous, J. W.) 1–14
Iodinin (1,6-dihydroxyphenazine 5,10-dioxide), incorporation of shikimate into, and other phenazines and their further metabolism by *Pseudomonas phenazinium* N.C.I.B. 11027 (Byng, G. S. & Turner, J. M.) 139–145
Ionophore A23187, comparison of the effects of phytohaemagglutinin and, on the metabolism of glycerolipids in pig lymphocytes (Allan, D. & Michell, R. H.) 389–397
Iron, characteristics of the transport of, by vesicles of rat small-intestinal enterocyte brush-border and basolateral plasma membranes (Eastham, E. J., Bell, J. I. & Douglas, A. P.) 289–294
Islets of Langerhans, pancreas, rat, isolated, glucose-deprived, release of insulin due to glycogenolysis in (Malaisse, W. J., Sener, A., Koser, M., Ravazzola, M. & Malaisse-Lagae, F.) 447–454
Islets of Langerhans, pancreas, rat, isolated, role of adenosine in the regulation of the secretion of insulin by (Ismail, N. A., El Denshary, E.-E. S. M. & Montague, W.) 409–413
Isocitrate lyase, basal activity and kinetics of the induction of, in *Chlorella fusca* var. *vacuolata* (Thurston, C. F.) 147–151

Jejunum, rat, steady-state metabolism and transport of glucose by everted sacs of, *in vitro* (Pritchard, P. J. & Porteous, J. W.) 1–14

Ketogenesis, changes in the activity of mitochondrial acetyl-coenzyme A acetyltransferase and the regulation of, in rat liver during starvation and neonatal development (Reed, W. D., Ozand, P. T., Tildon, J. T. & Cornblath, M.) 27–32
Ketogenesis, effects of lactation on, from oleate or butyrate in isolated rat hepatocytes (Whitelaw, E. & Williamson, D. H.) 521–528
Ketogenesis, effects of the administration of L-alanine on, in the rat (Ozand, P. T., Reed, W. D., Girard, J., Hawkins, R. L., Collins, R. M., Jr., Tildon, J. T. & Cornblath, M.) 557–564
Ketone bodies, effects of lactation on the formation of, from oleate or butyrate in isolated rat hepatocytes (Whitelaw, E. & Williamson, D. H.) 521–528
Ketone bodies, effects of the administration of L-alanine on the concentrations of, in rat blood (Ozand, P. T., Reed, W. D., Girard, J., Hawkins, R. L., Collins, R. M., Jr., Tildon, J. T. & Cornblath, M.) 557–564
Kidney, chick, feedback, regulation by 1,25-dihydroxycholecalciferol of the metabolism of vitamin D in (Colston, K. W., Evans, I. M. A., Spelsberg, T. C. & MacIntyre, I.) 83–89
Kidney, guinea-pig, use of a rapid and sensitive spectrophotometric procedure for the demonstration of factors that can be rate-limiting for the β-oxidation of acylcarnitines by mitochondria from, and other mammalian tissues (Osmundsen, H. & Bremer, J.) 621–633

Kidney, mammalian and avian, comparison of the different species of conjugates of bilirubin-IXα in bile with the activities of bilirubin-IXα–uridine diphosphate glycosyltransferases in, and liver (Fevery, J., Van de Vijver, M., Michiels, R. & Heirwegh, K. P. M.) 737–746
Kidney, rat and mouse, regional differences in the activity of ribonuclease in (Liu, D. K. & Matrisian, P. E.) 371–377
Kidney, rat, methylation of deoxyribonucleic acids in, and liver of animals given small oral doses of dimethylnitrosamine (Diaz Gomez, M. I., Swann, P. F. & Magee, P. N.) 497–500
Kidney cells, baby-hamster, factors affecting the production by, of BHK glycoprotein I which cross-reacts immunologically with Tamm–Horsfall glycoprotein (Bloomfield, F. J., Dunstan, D. R., Foster, C. L., Serafini-Cessi, F. & Marshall, R. D.) 41–51
Kidney cortex, guinea-pig, effects of starvation and streptozotocin-diabetes on the activity of phosphoenolpyruvate carboxykinase in, and liver (Elliott, K. R. F. & Pogson, C. I.) 357–361
Kidney cortex, rat, transport and metabolism of glutamine by mitochondria from, from normal and acidotic animals (Brosnan, J. T. & Hall, B.) 331–337

Lactate, mechanism of the inhibition by acidosis of gluconeogenesis from, in rat liver (Iles, R. A., Cohen, R. D., Rist, A. H. & Baron, P. G.) 185–191
Lactation, effects of, on ketogenesis from oleate or butyrate in isolated rat hepatocytes (Whitelaw, E. & Williamson, D. H.) 521–528
Lactation, effects of the administration of acetoacetate on the metabolism of glucose in the mammary gland of fed rats during (Robinson, A. M. & Williamson, D. H.) 749–752
Larynx, pig, adult, biosynthesis of cartilage-specific proteoglycan by suspension cultures of chondrocytes from (Wiebkin, O. W. & Muir, H.) 269–272
Lathyrine, biosynthesis of, in Tangier-pea seedlings (Brown, E. G. & Al-Baldawi, N. F.) 589–594
Lathyrus tingitanus, see Pea, Tangier
Leucine, adaptation of the oxidation of, in rat skeletal muscle to exercise (Dohm, G. L., Hecker, A. L., Brown, W. E., Klain, G. J., Puente, F. R., Askew, E. W. & Beecher, G. R.) 705–708
Lipoate, inhibition by an analogue (DL-8-methyldihydrolipoate) of, of oxidative phosphorylation by ox heart mitochondria (Griffiths, D. E., Cain, K. & Hyams, R. L.) 699–704
Lipogenesis, effects of prolonged ingestion of ethanol on, and related enzyme activities in rat liver (Savolainen, M. J., Hiltunen, J. K. & Hassinen, I. E.) 169–177
Liposomes, rapid partial purification of human placenta glucocerebroside β-glucosidase and its entrapment in, for possible use in the treatment of patients with Gaucher's disease (Braidman, I. P. & Gregoriadis, G.) 439–445
Liver, chick, interaction of nafoxidine hydrochloride with the soluble nuclear oestradiol-receptor protein in (Lazier, C. B. & Alford, W. S.) 659–667
Liver, guinea-pig, effects of starvation and streptozotocin-diabetes on the activity of phosphoenolpyruvate carboxykinase in, and kidney cortex (Elliott, K. R. F. & Pogson, C. I.) 357–361
Liver, mammalian and avian, comparison of the different species of conjugates of bilirubin-IXα in bile with the activities of bilirubin-IXα–uridine diphosphate glycosyltransferases in, and kidney (Fevery, J., Van de Vijver, M., Michiels, R. & Heirwegh, K. P. M.) 737–746
Liver, mammalian, biosynthesis of tyramine glucuronide by the microsomal fraction of, from various species (Wong, K. P.) 529–531
Liver, mouse, effect of nutritional shift on the degradation of abnormal proteins in (Amils, R., Conde, R. D. & Scornik, O. A.) 363–369
Liver, rabbit, roles of cytochrome *P*-450 and mixed-function amine oxidase in the *N*-oxidation of *NN*-dimethylaniline by microsomal fraction from (Hlavica, P. & Kehl, M.) 487–496
Liver, rat, changes in the activity of guanylate cyclase and in concentrations of cyclic nucleotides in, during regeneration after partial hepatectomy (Goridis, C., Zwiller, J. & Reutter, W.) 33–39
Liver, rat, changes in the activity of mitochondrial acetyl-coenzyme A acetyltransferase in, during starvation and neonatal development (Reed, W. D., Ozand, P. T., Tildon, J. T. & Cornblath, M.) 27–32
Liver, rat, changes in the activity of uridine diphosphate *N*-acetylglucosamine–asparagine-sequon *N*-acetyl-β-D-glucosaminyltransferase in preparations of rough endoplasmic reticulum from, during regeneration after partial hepatectomy (Khalkhali, Z., Serafini-Cessi, F. & Marshall, R. D.) 257–261
Liver, rat, control of the biosynthesis of zinc-thionein (Squibb, K. S., Cousins, R. J. & Feldman, S. L.) 223–228
Liver, rat, effects of acetate, metal cations, phenobarbitone porphyrogens and substrates of glycine acyltransferase on the utilization of haem by apo-(tryptophan pyrrolase) of (Badawy, A. A.-B.) 431–438
Liver, rat, effects of antioxidants on the metabolism of benzo[*a*]pyrene to mutagenic products by microsomal fraction from, *in vitro* (Rahimtula, A. D., Zachariah, P. K. & O'Brien, P. J.) 473–475
Liver, rat, effects of di-isopropyl phosphorofluoridate on the activities of microsomal and lysosomal β-glucuronidases of (Mandell, B. & Stahl, P.) 549–556
Liver, rat, effects of prolonged ingestion of ethanol on lipogenesis and related enzyme activities in (Savolainen, M. J., Hiltunen, J. K. & Hassinen, I. E.) 169–177
Liver, rat, inhibition by oestrogens of the biosynthesis of α_{2u}-globulin and its messenger ribonucleic acid in (Roy, A. K., Dowbenko, D. J. & Schiop, M. J.) 91–97
Liver, rat, isolation and characterization of membrane proteins responsible for the attachment of polyribosomes to the rough microsomal fraction of (Fujita, S., Ogata, F., Nakamura, J., Omata, S. & Sugano, H.) 53–66
Liver, rat, mechanism of the inhibition by acidosis of gluconeogenesis from lactate in (Iles, R. A., Cohen, R. D., Rist, A. H. & Baron, P. G.) 185–191
Liver, rat, methylation of deoxyribonucleic acids in, and kidney of animals given small oral doses of dimethylnitrosamine (Diaz Gomez, M. I., Swann, P. F. & Magee, P. N.) 497–500

Liver, rat, new method for assaying the activity of microsomal 3-hydroxy-3-methylglutaryl-coenzyme A reductase of, and its application to a study of the effect of dietary cholesterol on the enzyme (Baqir, Y. A. & Booth, R.) 501–508
Liver, rat, ontogeny and evidence that new isoenzymes of aldehyde dehydrogenase in 2-acetamidofluorene-induced hepatomas in, are not due to normal gene derepression (Lindahl, R.) 119–123
Liver, rat, properties of enzymes degrading phosphatidylinositol in lysosomes of (Irvine, R. F., Hemington, N. & Dawson, R. M. C.) 277–280
Liver, rat, purification and properties of microsomal membrane-bound uridine diphosphate galactose–glycoprotein galactosyltransferase from (Fraser, I. H. & Mookerjea, S.) 541–547
Liver, rat, purification of particulate neutral ribonuclease from, and comparison of its properties with those of pancreas and plasma ribonucleases (Bartholeyns, J. & Baudhuin, P.) 675–683
Liver, rat, retention of folates in, and other tissues after the administration of folic acid (Barford, P. A., Staff, F. J. & Blair, J. A.) 601–605
Liver, rat, role of haem in the biosynthesis and assembly of cytochrome *P*-450 in microsomal fraction from (Bhat, K. S., Sardana, M. K. & Padmanaban, G.) 295–303
Liver, rat, selective permeability of mitochondria from, to mitochondrial and cytoplasmic asparate aminotransferases *in vitro* (Marra, E., Doonan, S., Saccone, C. & Quagliariello, E.) 685–691
Liver, rat, use of a rapid and sensitive spectrophotometric procedure for the demonstration of factors that can be rate-limiting for the β-oxidation of acylcarnitines by mitochondria from, and other mammalian tissues (Osmundsen, H. & Bremer, J.) 621–633
Liver cells, rat and guinea-pig, isolated, permeability of the plasma membrane of, to quinolinate (Elliott, K. R. F., Pogson, C. I. & Smith, S. A.) 283–286
Liver cells, rat, isolated, effects of lactation on ketogenesis from oleate or butyrate in (Whitelaw, E. & Williamson, D. H.) 521–528
Liver cells, rat, isolated, inhibition of the degradation of protein in (Hopgood, M. F., Clark, M. G. & Ballard, F. J.) 399–407
Liver cells, rat, isolated, preparation of subfractions of plasma membranes from (Wisher, M. H. & Evans, W. H.) 415–422
Liver cells, rat, structure and metabolism of heparan sulphate of (Oldberg, Å., Höök, M., Öbrink, B., Pertoft, H. & Rubin, K.) 75–81
Lymphocytes, pig, comparison of the effects of phytohaemagglutinin and ionophore A23187 on the metabolism of glycerolipids in (Allan, D. & Michell, R. H.) 389–397
Lysosomes, alternative hypothesis for the cellular transport of enzymes of (Lloyd, J. B.) 281–282
Lysosomes, liver, rat, effects of di-isopropyl phosphorofluoridate on the activities of β-glucuronidases of, and microsomal fraction (Mandell, B. & Stahl, P.) 549–556
Lysosomes, liver, rat, properties of enzymes degrading phosphatidylinositol in (Irvine, R. F., Hemington, N. & Dawson, R. M. C.) 277–280
Lysyl hydroxylase, effects of cortisol acetate on the biosynthesis of collagen and on the activities of collagen galactosyltransferase, collagen glucosyltransferase, prolyl hydroxylase and, in cultured chick-embryo tendon cells (Oikarinen, A.) 533–539

Maize (*Zea mays*) seedlings, changes in the rates of biosynthesis and degradation of catalase in, during germination (Sorenson, J. C., Ganapathy, P. S. & Scandalios, J. G.) 113–117
Mammary gland, rat, effects of the administration of acetoacetate on the metabolism of glucose in, of fed lactating animals (Robinson, A. M. & Williamson, D. H.) 749–752
Mammary gland, rat, lactating, effects of starvation, prolactin deficiency and insulin deficiency on the metabolism of glucose in, *in vivo* and *in vitro* (Robinson, A. M. & Williamson, D. H.) 153–159
Mammary gland, ruminant and non-ruminant, activities of 2-oxoglutarate dehydrogenase and pyruvate dehydrogenase in, and heart (Read, G., Crabtree, B. & Smith, G. H.) 349–355
Membrane, cytoplasmic, *Escherichia coli*, effects of permeability barriers imposed by, on the sites and specificity of the reaction of bipyridylium compounds with enzymes involved in anaerobic respiration (Jones, R. W. & Garland, P. B.) 199–211
Membrane, erythrocyte, human, choice of detergent for the solubilization of (Grant, D. A. W. & Hjertén, S.) 465–468
Membrane, erythrocyte, human, role of adenosine triphosphate and reduced glutathione in the self-digestion of (Brovelli, A., Suhail, M., Pallavicini, G., Sinigaglia, F. & Balduini, C.) 469–472
Membrane, erythroid-cell, rabbit, changes in the components of, during differentiation (Light, N. D. & Tanner, M. J. A.) 565–578
Membrane, plasma, adrenal-gland-cortex, ox, inhibition by cortisol of the binding of corticotropin-(1–24)-tetracosapeptide to receptors in (Latner, A. L., Cook, D. B. & Solanki, K. U.) 477–480
Membrane, plasma, heart-cell, hamster, stimulation by 5-bromo-2′-deoxyuridine of the activity of calcium-or-magnesium ion-dependent adenosine triphosphatase of (Coetzee, G. A. & Gevers, W.) 645–652
Membrane, plasma, liver, rat, structure and metabolism of heparan sulphate of (Oldberg, Å., Höök, M., Öbrink, B., Pertoft, H. & Rubin, K.) 75–81
Membrane, plasma, liver-cell, rat and guinea-pig, permeability of, to quinolinate (Elliott, K. R. F., Pogson, C. I. & Smith, S. A.) 283–286
Membrane proteins, isolation and characterization of, responsible for the attachment of polyribosomes to rough microsomal fraction of rat liver (Fujita, S., Ogata, F., Nakamura, J., Omata, S. & Sugano, H.) 53–66
Membranes, erythrocyte, human, reconstitution of glucose-transporting vesicles from, disaggregated in detergent (Edwards, P. A. W.) 125–129
Membranes, plasma, brush-border and basolateral, enterocyte, small-intestinal, rat, characteristics of iron transport by vesicles of (Eastham, E. J., Bell, J. I. & Douglas, A. P.) 289–294

Membranes, plasma, hepatocyte, rat, preparation of subfractions of (Wisher, M. H. & Evans, W. H.) 415–422

Messenger ribonucleic acid, *see* Ribonucleic acid, messenger

DL-8-Methyldihydrolipoate, inhibition by, of oxidative phosphorylation by ox heart mitochondria (Griffiths, D. E., Cain, K. & Hyams, R. L.) 699–704

Microsomal fraction, corpus luteum, ox, activation by adenosine 3′:5′cyclic monophosphate of the endogenous phosphorylation of proteins in (Hardie, D. G. & Stansfield, D. A.) 213–221

Microsomal fraction, liver, mammalian, biosynthesis of tyramine glucuronide by, from various species (Wong, K. P.) 529–531

Microsomal fraction, liver, rabbit, roles of cytochrome *P*-450 and mixed-function amine oxidase in the *N*-oxidation of *NN*-dimethylaniline by (Hlavica, P. & Kehl, M.) 487–496

Microsomal fraction, liver, rat, effects of antioxidants on the metabolism of benzo[*a*]pyrene to mutagenic products by, *in vitro* (Rahimtula, A. D., Zachariah, P. K. & O'Brien, P. J.) 473–475

Microsomal fraction, liver, rat, effects of di-isopropyl phosphorofluoridate on the activities of β-glucuronidases of, and lysosomes (Mandell, B. & Stahl, P.) 549–556

Microsomal fraction, liver, rat, new method for assaying the activity of 3-hydroxy-3-methylglutaryl-coenzyme A reductase of, and its application to a study of the effect of dietary cholesterol on the enzyme (Baqir, Y. A. & Booth, R.) 501–508

Microsomal fraction, liver, rat, purification and properties of membrane-bound uridine diphosphate galactose–glycoprotein galactosyltransferase from (Fraser, I. H. & Mookerjea, S.) 541–547

Microsomal fraction, liver, rat, role of haem in the biosynthesis and assembly of cytochrome *P*-450 in (Bhat, K. S., Sardana, M. K. & Padmanaban, G.) 295–303

Microsomal fraction, rough, liver, rat, isolation and characterization of membrane proteins responsible for the attachment of polyribosomes to (Fujita, S., Ogata, F., Nakamura, J., Omata, S. & Sugano, H.) 53–66

Mitochondria, cerebral-cortex, rat, changes in the activities of enzymes involved in energy metabolism in, during postnatal development (Land, J. M., Booth, R. F. G., Berger, R. & Clark, J. B.) 339–348

Mitochondria, flight-muscle, blowfly, nature of controlled respiration and its relationship to protonmotive force and the conductance of protons in (Johnson, R. N. & Hansford, R. G.) 305–322

Mitochondria, heart, ox, inhibition by DL-8-methylhihydrolipoate of oxidative phosphorylation by (Griffiths, D. E., Cain, K. & Hyams, R. L.) 699–704

Mitochondria, heart, pigeon, probable site of action of 1,1,1-trifluoro-3-then-2′-oylacetone on the respiratory chain of (Ingledew, W. J. & Ohnishi, T.) 617–620

Mitochondria, heart, rat, effect of alloxan-diabetes on the control of the activity of pyruvate dehydrogenase in, by concentration ratios of adenosine triphosphate/adenosine diphosphate, of reduced/oxidized nicotinamide–adenine dinucleotide and of acetyl-coenzyme A/coenzyme A (Kerbey, A. L., Radcliffe, P. M. & Randle, P. J.) 509–519

Mitochondria, kidney-cortex, rat, transport and metabolism of glutamine by, from normal and acidotic animals (Brosnan, J. T. & Hall, B.) 331–337

Mitochondria, liver, heart and kidney, mammalian, use of a rapid and sensitive spectrophotometric procedure for the demonstration of factors that can be rate-limiting for the β-oxidation of acylcarnitines by (Osmundsen, H. & Bremer, J.) 621–633

Mitochondria, liver, rat, changes in the activity of acetyl-coenzyme A acetyltransferase in, during starvation and neonatal development (Reed, W. D., Ozand, P. T., Tildon, J. T. & Cornblath, M.) 27–32

Mitochondria, liver, rat, selective permeability of, to mitochondrial and cytoplasmic aspartate aminotransferases *in vitro* (Marra, E., Doonan, S., Saccone, C. & Quagliariello, E.) 685–691

Mitochondria, synaptic and non-synaptic, brain, rat, comparative studies on the metabolism of glutamate in (Dennis, S. C., Lai, J. C. K. & Clark, J. B.) 727–736

Mixed-function oxidase, *see* Oxidase, mixed-function

Muscle, flight, blowfly, nature of controlled respiration and its relationship to protonmotive force and the conductance of protons in mitochondria from (Johnson, R. N. & Hansford, R. G.) 305–322

Muscle, skeletal, rat, adaptation of the metabolism of protein in, to exercise (Dohm, G. L., Hecker, A. L., Brown, W. E., Klain, G. J., Puente, F. R., Askew, E. W. & Beecher, G. R.) 705–708

Muscle, skeletal, rat, effect of insulin on the release of calcium ions by, and epididymal adipocytes (Clausen, T. & Martin, B. R.) 251–255

Muscle cells, heart, hamster, cultured, effects of 5-bromo-2′-deoxyuridine on the differentiation of (Coetzee, G. A., van der Westhuyzen, D. R. & Gevers, W.) 635–643

Myelin, brain, mouse, turnover of proteins of, *in vivo* (Lajtha, A., Toth, J., Fujimoto, K. & Agrawal, H. C.) 323–329

Nafoxidine hydrochloride (1-{2-[*p*-3,4-dihydro-6-methoxy-2-phenylnaphth-1-yl)phenoxy]ethyl}pyrrolidine hydrochloride), interaction of, with the soluble nuclear oestradiol-receptor protein in chick liver (Lazier, C. B. & Alford, W. S.) 659–667

Neutral ribonuclease, *see* Ribonuclease, neutral

Nicotinamide–adenine dinucleotide, oxidized and reduced, role of the redox state of, in regulation of the activity of pyruvate dehydrogenase in hamster small intestine during neonatal development (Schiller, C. M.) 693–697

Nicotinamide–adenine dinucleotide, oxidized, effects of alloxan-diabetes on the control of the activity of rat heart mitochondrial pyruvate dehydrogenase by concentration ratios of adenosine triphosphate/adenosine diphosphate, of acetyl-coenzyme A/coenzyme A and of reduced nicotinamide–adenine dinucleotide and (Kerbey, A. L., Radcliffe, P. M. & Randle, P. J.) 509–519

Nicotinamide–adenine dinucleotide, reduced, effects of alloxan-diabetes on the control of the activity of rat heart mitochondrial pyruvate dehydrogenase by concentration ratios of adenosine triphosphate/adenosine diphosphate, of acetyl-coenzyme A/coenzyme A and of oxidized nicotinamide–adenine dinucleotide and (Kerbey, A. L., Radcliffe, P. M. & Randle, P. J.) 509–519

Noradrenaline, lack of stimulation by adenosine 3′:5′-cyclic monophosphate and, of the activity of phospholipase A2 in guinea-pig cerebral cortex (Rowe, C. E.) 287–288

Novikoff hepatoma, rat, activity of uridine kinase and the phosphorylation of pyrimidine nucleosides in fluoropyrimidine-sensitive and -resistant cell lines of (Greenberg, N., Schumm, D. E. & Webb, T. E.) 379–387

Nuclei, liver, chick, interaction of nafoxidine hydrochloride with the soluble oestradiol-receptor protein of (Lazier, C. B. & Alford, W. S.) 659–667

Nuclei, testis, rooster, maturing, changes in composition of chromatin and genomic activity of, during spermatogenesis (Mezquita, C. & Teng, C. S.) 99–111

Nucleosides, activity of uridine kinase and the phosphorylation of, in fluoropyrimidine-sensitive and -resistant cell lines of rat Novikoff hepatoma (Greenberg, N., Schumm, D. E. & Webb, T. E.) 379–387

Nucleotides, cyclic, changes in the activity of guanylate cyclase and in concentrations of, in rat liver during regeneration after partial hepatectomy (Goridis, C., Zwiller, J. & Reutter, W.) 33–39

Oestradiol-17β, inhibition by, of the biosynthesis of α_{2u}-globulin and its messenger ribonucleic acid in rat liver (Roy, A. K., Dowbenko, D. J. & Schiop, M. J.) 91–97

Oestradiol-receptor protein, nuclear, liver, chick, soluble, interaction of nafoxidine hydrochloride with (Lazier, C. B. & Alford, W. S.) 659–667

Oestrogens, inhibition by, of the biosynthesis of α_{2u}-globulin and its messenger ribonucleic acid in rat liver (Roy, A. K., Dowbenko, D. J. & Schiop, M. J.) 91–97

Oleate, effects of lactation on ketogenesis from butyrate or, in isolated rat hepatocytes (Whitelaw, E. & Williamson, D. H.) 521–528

Orosomucoid, human, effects of chemical modifications of ox serum albumin and, on their rates of clearance from the rat bloodstream and on their rates of pinocytic capture by cultured rat yolk sacs (Moore, A. T., Williams, K. E. & Lloyd, J. B.) 607–616

Ovary, ox, activation by adenosine 3′:5′-cyclic monophosphate of the endogenous phosphorylation of microsomal proteins in corpus luteum of (Hardie, D. G. & Stansfield, D. A.) 213–221

Oxidase, mixed-function, roles of cytochrome *P*-450 and, in the *N*-oxidation of *NN*-dimethylaniline by rabbit liver microsomal fraction (Hlavica, P. & Kehl, M.) 487–496

Oxidative phosphorylation, *see* Phosphorylation, oxidative

2-Oxoglutarate dehydrogenase, activities of pyruvate dehydrogenase and, in heart and mammary gland from various ruminant and non-ruminant animals (Read, G., Crabtree, B. & Smith, G. H.) 349–355

Pancreas, rat, purification of rat liver particulate neutral ribonuclease and comparison of its properties with those of ribonucleases from, and plasma (Bartholeyns, J. & Baudhuin, P.) 675–683

Pancreas, rat, release of insulin due to glycogenolysis in glucose-deprived islets of Langerhans isolated from (Malaisse, W. J., Sener, A., Koser, M., Ravazzola, M. & Malaisse-Lagae, F.) 447–454

Pancreas, rat, role of adenosine in the regulation of the secretion of insulin by islets of Langerhans isolated from (Ismail, N. A., El Denshary, E.-E. S. M. & Montague, W.) 409–413

Pea, Tangier (*Lathyrus tingitanus*), biosynthesis of lathyrine in seedlings of (Brown, E. G. & Al-Baldawi, N. F.) 589–594

pH, external, changes in the kinetic behaviour of the transport of threonine into *Trypanosoma brucei* elicited by variation in (Voorheis, H. P.) 15–25

Phenazines, incorporation of shikimate into, and their further metabolism by *Pseudomonas phenazinium* N.C.I.B. 11027 (Byng, G. S. & Turner, J. M.) 139–145

Phenobarbitone, effects of, and other agents on the utilization of haem by rat liver apo-(tryptophan pyrrolase) (Badawy, A. A.-B.) 431–438

Phormia regina, *see* Blowfly

Phosphate, inorganic, effects of adenine nucleotides and, on the activity of *Anabaena cylindrica* adenosine triphosphate sulphurylase (Sawhney, S. K. & Nicholas, D. J. D.) 161–167

Phosphatidylinositol, comparison of the effects of phytohaemagglutinin and ionophore A23187 on the turnover of, in pig lymphocytes (Allan, D. & Michell, R. H.) 389–397

Phosphatidylinositol, properties of enzymes degrading, in rat liver lysosomes (Irvine, R. F., Hemington, N. & Dawson, R. M. C.) 277–280

Phosphoenolpyruvate carboxykinase, effects of starvation and streptozotocin-diabetes on the activity of, in guinea-pig liver and kidney cortex (Elliott, K. R. F. & Pogson, C. I.) 357–361

Phospholipase A2, lack of stimulation by noradrenaline and adenosine 3′:5′-cyclic monophosphate of the activity of, in guinea-pig cerebral cortex (Rowe, C. E.) 287–288

Phospholipases, effects of corticotropin-(1–24)-tetracosapeptide and calcium ions on the activities of, in isolated cat adrenal-gland-cortex cells (Laychock, S. G., Franson, R. C., Weglicki, W. B. & Rubin, R. P.) 753–756

Phosphorylase kinase, stimulation by, of the accumulation of calcium ions by guinea-pig heart sarcolemma (Sulakhe, P. V. & St. Louis, P. J.) 457–459

Phosphorylation, oxidative, inhibition by DL-8-methyldihydrolipoate of, by ox heart mitochondria (Griffiths, D. E., Cain, K. & Hyams, R. L.) 699–704

Phosphorylation, oxidative, mutation causing the uncoupling of, from electron transport and also affecting a second component of the F_0 portion of the magnesium ion-stimulated adenosine triphosphatase of *Escherichia coli* K12 (Gibson, F., Cox, G. B., Downie, J. A. & Radik, J.) 193–198

Phytohaemagglutinin, comparison of the effects of ionophore A23187 and, on the metabolism of glycerolipids in pig lymphocytes (Allan, D. & Michell, R. H.) 389–397

Pigeon, probable site of action of 1,1,1-trifluoro-3-then-2′-oylacetone on the respiratory chain of heart mitochondria from (Ingledew, W. J. & Ohnishi, T.) 617–620

Placenta, human, rapid partial purification of glucocerebroside β-glucosidase from, and its entrapment in liposomes for possible use in the treatment of patients with Gaucher's disease (Braidman, I. P. & Gregoriadis, G.) 439–445

Plasma, mouse, use of coupling to soluble dextran to enhance the persistence of therapeutic enzymes in (Sherwood, R. F., Baird, J. K., Atkinson, T., Wiblin, C. N., Rutter, D. A. & Ellwood, D. C.) 461–464

Plasma, rat, effects of di-isopropyl phosphorofluoridate on the activities of β-glucuronidases of, and liver microsomal and lysosomal fractions (Mandell, B. & Stahl, P.) 549–556

Plasma, rat, purification of rat liver particulate neutral ribonuclease and comparison of its properties with those of ribonucleases from, and pancreas (Bartholeyns, J. & Baudhuin, P.) 675–683

Plasma membrane, *see* Membrane, plasma

Polyoxin D, inhibition by, of the biosynthesis of chitin in *Aspergillus fumigatus* (Archer, D. B.) 653–658

Polyribosomes, *Bacillus licheniformis* and *Bacillus stearothermophilus*, number and activity of active ribosomes in (Stenesh, J. & Shen, P. Y.) 669–674

Polyribosomes, isolation and characterization of membrane proteins responsible for the attachment of, to rough microsomal fraction of rat liver (Fujita, S., Ogata, F., Nakamura, J., Omata, S. & Sugano, H.) 53–66

Polysomes, *see* Polyribosomes

Porphyrogens, effects of, and other agents on the utilization of haem by rat liver apo-(tryptophan pyrrolase) (Badawy, A. A.-B.) 431–438

Prolactin, effects of starvation, insulin deficiency and deficiency of, on the metabolism of glucose in lactating rat mammary gland *in vivo* and *in vitro* (Robinson, A. M. & Williamson, D. H.) 153–159

Prolyl hydroxylase, effects of cortisol acetate on the biosynthesis of collagen and on the activities of collagen galactosyltransferase, collagen glucosyltransferase, lysyl hydroxylase and, in cultured chick-embryo tendon cells (Oikarinen, A.) 533–539

Protease, *see* Proteinase

Protein, adaptation of the metabolism of, in rat skeletal muscle to exercise (Dohm, G. L., Hecker, A. L., Brown, W. E., Klain, G. J., Puente, F. R., Askew, E. W. & Beecher, G. R.) 705–708

Protein, inhibition of the degradation of, in isolated rat hepatocytes (Hopgood, M. F., Clark, M. G. & Ballard, F. J.) 399–407

Protein, oestradiol-receptor, nuclear, liver, chick, soluble, interaction of nafoxidine hydrochloride with (Lazier, C. B. & Alford, W. S.) 659–667

Proteinase inhibitors, inhibition by, and other agents of the degradation of protein in isolated rat hepatocytes (Hopgood, M. F., Clark, M. G. & Ballard, F. J.) 399–407

Protein–polysaccharide, *see* Proteoglycan

Proteins, abnormal, effect of nutritional shift on the degradation of, in mouse liver (Amils, R., Conde, R. D. & Scornik, O. A.) 363–369

Proteins, membrane, erythroid-cell, rabbit, changes in the components of, during differentiation (Light, N. D. & Tanner, M. J. A.) 565–578

Proteins, membrane, isolation and characterization of, responsible for the attachment of polyribosomes to rough microsomal fraction of rat liver (Fujita, S., Ogata, F., Nakamura, J., Omata. S. & Sugano, H.) 53–66

Proteins, microsomal, corpus luteum, ox, activation by adenosine 3′:5′-cyclic monophosphate of the endogenous phosphorylation of (Hardie, D. G. & Stansfield, D. A.) 213–221

Proteins, myelin, brain, mouse, turnover of, *in vivo* (Lajtha, A., Toth, J., Fujimoto, K. & Agrawal, H. C.) 323–329

Proteoglycan, cartilage-specific, biosynthesis of, by suspension cultures of adult pig larynx chondrocytes (Wiebkin, O. W. & Muir, H.) 269–272

Proteoglycans, heterogeneity of, in chick-embryo limb cartilage during development (Vasan, N. S. & Lash, J. W.) 179–183

Protonmotive force, nature of controlled respiration and its relationship to, and the conductance of protons in blowfly flight-muscle mitochondria (Johnson, R. N. & Hansford, R. G.) 305–322

Protons, changes in the kinetic behaviour of the transport of threonine into *Trypanosoma brucei* elicited by variation in the external concentration of (Voorheis, H. P.) 15–25

Protons, nature of controlled respiration and its relationship to protonmotive force and the conductance of, in blowfly flight-muscle mitochondria (Johnson, R. N. & Hansford, R. G.) 305–322

Protons, translocation of, coupled to the flow of electrons from endogenous substrates to fumarate in anaerobically grown *Escherichia coli* K12 (Gutowski, S. J. & Rosenberg, H.) 265–267

Protoplasts, *Aspergillus fumigatus*, biosynthesis of chitin in (Archer, D. B.) 653–658

Pseudomonas phenazinium N.C.I.B. 11027, incorporation of shikimate into phenazines and their further metabolism by (Byng, G. S. & Turner, J. M.) 139–145

Pyrimidine nucleosides, activity of uridine kinase and the phosphorylation of, in fluoropyrimidine-sensitive and -resistant cell lines of rat Novikoff hepatoma (Greenberg, N., Schumm, D. E. & Webb, T. E.) 379–387

Pyrimidines, metabolism of, and the biosynthesis of lathyrine in Tangier-pea seedlings (Brown, E. G. & Al-Baldawi, N. F.) 589–594

Pyruvate dehydrogenase, activities of 2-oxoglutarate dehydrogenase and, in heart and mammary gland from various ruminant and non-ruminant animals (Read, G., Crabtree, B. & Smith, G. H.) 349–355

Pyruvate dehydrogenase, changes in the activities of, and other enzymes involved in energy metabolism in rat cerebral-cortex mitochondria during postnatal development (Land, J. M., Booth, R. F. G., Berger, R. & Clark, J. B.) 339–348

Pyruvate dehydrogenase, changes in the activity of, in hamster small intestine during neonatal development (Schiller, C. M.) 693–697

Pyruvate dehydrogenase, mitochondrial, heart, rat, effect of alloxan-diabetes on the control of the activity of, by concentration ratios of adenosine triphosphate/adenosine diphosphate, of reduced/oxidized nicotinamide–adenine dinucleotide and of acetyl-coenzyme A/coenzyme A (Kerbey, A. L., Radcliffe, P. M. & Randle, P. J.) 509–519

Quinolinate, permeability of the plasma membrane of isolated rat and guinea-pig liver cells to (Elliott, K. R.F., Pogson, C. I. & Smith, S. A.) 283–286

Red blood cells, *see* Erythrocytes
Respiration, anaerobic, effects of permeability barriers imposed by the cytoplasmic membrane on the sites and specificity of the reaction of bipyridylium compounds with enzymes involved in, in *Escherichia coli* (Jones, R. W. & Garland, P. B.) 199–211
Respiration, controlled, nature of, and its relationship to protonmotive force and the conductance of protons in blowfly flight-muscle mitochondria (Johnson, R. N. & Hansford, R. G.) 305–322
Respiratory chain, mitochondrial, heart, pigeon, probable site of action of 1,1,1-trifluoro-3-then-2′-oylacetone on (Ingledew, W. J. & Ohnishi, T.) 617–620
Reticulocytes, rabbit, changes in the components of the surface membrane during the differentiation of, and erythrocytes (Light, N. D. & Tanner, M. J. A.) 565–578
Reticulum, endoplasmic, rough, liver, rat, changes in the activity of uridine diphosphate *N*-acetylglucosamine–asparagine-sequon *N*-acetyl-β-D-glucosaminyl-transferase in preparations of, during regeneration after partial hepatectomy (Khalkhali, Z., Serafini-Cessi, F. & Marshall, R. D.) 257–261
Ribonuclease, neutral, particulate, liver, rat, purification of, and comparison of its properties with those of pancreas and plasma ribonucleases (Bartholeyns, J. & Baudhuin, P.) 675–683
Ribonuclease, regional differences in the activity of, in rat and mouse kidney (Liu, D. K. & Matrisian, P. E.) 371–377
Ribonuclease inhibitor, regional differences in the activities of ribonuclease and, in rat and mouse kidney (Liu, D. K. & Matrisian, P. E.) 371–377
Ribonucleic acid, messenger, α_{2u}-globulin, inhibition by oestrogens of the biosynthesis of, in rat liver (Roy, A. K., Dowbenko, D. J. & Schiop, M. J.) 91–97
Ribosomes, active, number and activity of, in *Bacillus licheniformis* and *Bacillus stearothermophilus* polyribosomes (Stenesh, J. & Shen, P. Y.) 669–674
Ribosomes, isolation and characterization of membrane proteins responsible for the attachment of, to rough microsomal fraction of rat liver (Fujita, S., Ogata, F., Nakamura, J., Omata, S. & Sugano, H.) 53–66
Rooster, maturing, changes in composition of chromatin and genomic activity of testis nuclei of, during spermatogenesis (Mezquita, C. & Teng, C. S.) 99–111

Sarcolemma, heart, guinea-pig, stimulation by phosphorylase kinase of the accumulation of calcium ions by (Sulakhe, P. V. & St. Louis, P. J.) 457–459
Seedlings, maize, changes in the rates of biosynthesis and degradation of catalase in, during germination (Sorenson, J. C., Ganapathy, P. S. & Scandalios, J. G.) 113–117
Seedlings, Tangier-pea, biosynthesis of lathyrine in (Brown, E. G. & Al-Baldawi, N. F.) 589–594
Serum, rat, purification of rat liver particulate neutral ribonuclease and comparison of its properties with those of ribonucleases from, and pancreas (Bartholeyns, J. & Baudhuin, P.) 675–683
Serum albumin, *see* Albumin, serum
Shikimate, conversion by gastrointestinal micro-organisms of, into cyclohexanecarboxylate and the subsequent metabolism of the latter compound in the rat (Brewster, D., Jones, R. S. & Parke, D. V.) 595–600
Shikimate, incorporation of, into phenazines and their further metabolism by *Pseudomonas phenazinium* N.C.I.B. 11027 (Byng, G. S. & Turner, J. M.) 139–145
Sialoglycopeptide, effect of adenosine triphosphate and reduced glutathione on the release of, during self-digestion of human erythrocyte membrane (Brovelli, A., Suhail, M., Pallavicini, G., Sinigaglia, F. & Balduini, C.) 469–472
Skeletal muscle, *see* Muscle, skeletal
Small intestine, *see* Intestine, small
Spermatogenesis, changes in composition of chromatin and genomic activity of nuclei of maturing rooster testis during (Mezquita, C. & Teng, C. S.) 99–111
Starvation, changes in the activity of mitochondrial acetyl-coenzyme A acetyltransferase in rat liver during neonatal development (Reed, W. D., Ozand, P. T., Tildon, J. T. & Cornblath, M.) 27–32
Starvation, effects of prolactin deficiency, insulin deficiency and, on the metabolism of glucose in lactating rat mammary gland *in vivo* and *in vitro* (Robinson, A. M. & Williamson, D. H.) 153–159
Starvation, effects of streptozotocin-diabetes and, on the activity of phosphoenolpyruvate carboxykinase in guinea-pig liver and kidney cortex (Elliott, K. R. F. & Pogson, C. I.) 357–361
Streptomyces rubescens, identification of metabolites formed from 3-(3aα-hexahydro-7aβ-methyl-1,5-dioxoindan-4α-yl)propionate and their relevance to the degradation of cholic acid by (Hashimoto, S. & Hayakawa, S.) 715–726
Streptozotocin-diabetes, *see* Diabetes, streptozotocin-induced
Submitochondrial particles, heart, pigeon, probable site of action of 1,1,1-trifluoro-3-then-2′-oylacetone on the respiratory chain of (Ingledew, W. J. & Ohnishi, T.) 617–620
Synacthen, *see* Corticotropin-(1–24)-tetracosapeptide
Synaptosomes, brain, rat, comparative studies on the metabolism of glutamate in non-synaptic mitochondria and in mitochondria from (Dennis, S. C., Lai, J. C. K. & Clark, J. B.) 727–736

Tamm–Horsfall glycoprotein, factors affecting the production by baby-hamster kidney cells of BHK glycoprotein I which cross-reacts immunologically with (Bloomfield, F. J., Dunstan, D. R., Foster, C. L., Serafini-Cessi, F. & Marshall, R. D.) 41–51
Tangier pea, *see* Pea, Tangier

Tendon cells, chick-embryo, cultured, effects of cortisol acetate on the biosynthesis of collagen and on the activities of prolyl hydroxylase, lysyl hydroxylase, collagen galactosyltransferase and collagen glucosyltransferase in (Oikarinen, A.) 533–539
Testis, rooster, maturing, changes in composition of chromatin and genomic activity of nuclei of, during spermatogenesis (Mezquita, C. & Teng, C. S.) 99–111
3-Then-2′-oyl-1,1,1-trifluoroacetone, *see* 1,1,1-Trifluoro-3-then-2′-oylacetone
Thionein, zinc-, control of the biosynthesis of, in rat liver (Squibb, K. S., Cousins, R. J. & Feldman, S. L.) 223–228
Threonine, changes in the kinetic behaviour of the transport of, into *Trypanosoma brucei* elicited by variation in the external concentration of hydrogen ions (Voorheis, H. P.) 15–25
Threonine, initiation by threonine dehydratase of the degradation of, in *Corynebacterium* sp. N.C.I.B. 11102 (Bell, S. C. & Turner, J. M.) 579–587
Threonine dehydratase, initiation by, of the degradation of threonine in *Corynebacterium* sp. N.C.I.B. 11102 (Bell, S. C. & Turner, J. M.) 579–587
Triacylglycerols, role of the biosynthesis of fatty acids in the accumulation of, in rat liver after the prolonged ingestion of ethanol (Savolainen, M. J., Hiltunen, J. K. & Hassinen, I. E.) 169–177
Tricarboxylic acid cycle, estimation of the maximum flux through, in heart and mammary gland from various ruminant and non-ruminant animals (Read, G., Crabtree, B. & Smith, G. H.) 349–355
1,1,1-Trifluoro-3-then-2′-oylacetone, probable site of action of, on the respiratory chain of pigeon heart mitochondria (Ingledew, W. J. & Ohnishi, T.) 617–620
Triglycerides, *see* Triacylglycerols
Trypanosoma brucei, changes in the kinetic behaviour of the transport of threonine into, elicited by variation in the external concentration of hydrogen ions (Voorheis, H. P.) 15–25
Tryptophan pyrrolase, apo-, liver, rat, effects of acetate, metal cations, phenobarbitone, porphyrogens and substrates of glycine acyltransferase on the utilization of haem by (Badawy, A. A.-B.) 431–438
Tumour cells, various, activity of uridine kinase and the phosphorylation of pyrimidine nucleosides in (Greenberg, N., Schumm, D. E. & Webb, T. E.) 379–387
Tyramine glucuronide, biosynthesis of, by liver microsomal fraction from various mammalian species 529–531

Uridine diphosphate *N*-acetylglucosamine–asparagine-sequon *N*-acetyl-β-D-glucosaminyltransferase, changes in the activity of, in preparations of rat liver rough endoplasmic reticulum during regeneration after partial hepatectomy (Khalkhali, Z., Serafini-Cessi, F. & Marshall, R. D.) 257–261
Uridine diphosphate galactose–glycoprotein galactosyltransferase, membrane-bound, microsomal, liver, rat, purification and properties of (Fraser, I. H. & Mookerjea, S.) 541–547
Uridine kinase, activity of, and the phosphorylation of pyrimidine nucleosides in fluoropyrimidine-sensitive and -resistant cell lines of rat Novikoff hepatoma (Greenberg, N., Schumm, D. E. & Webb, T. E.) 379–387
Urine, identification of metabolites of cyclohexanecarboxylate in, in the rat (Brewster, D., Jones, R. S. & Parke, D. V.) 595–600

Vitamin D, feedback regulation by 1,25-dihydroxycholecalciferol of the metabolism of, in chick kidney (Colston, K. W., Evans, I. M. A., Spelsberg, T. C. & MacIntrye, I.) 83–89

Water, steady-state metabolism and transport of glucose and the transport of, by everted sacs of rat small intestine *in vitro* (Pritchard, P. J. & Porteous, J. W.) 1–14

Yolk sacs, rat, cultured, effects of chemical modifications of ox serum albumin and human orosomucoid on their rates of clearance from the rat bloodstream and on their rates of pinocytic capture by (Moore, A. T., Williams, K. E. & Lloyd, J. B.) 607–616

Zea mays, *see* Maize
Zinc-thionein, control of the biosynthesis of, in rat liver (Squibb, K. S., Cousins, R. J. & Feldman, S. L.) 223–228